

Catalogue Volume 5



Welcome to ESR Enterprise Ltd Catalogue Volume 5

We are pleased to launch our Volume 5 catalogue, packed with many new products alongside our firm favourites.

The Wiring Accessory range has been extended to include Antique Brass, Polished Chrome & Black Nickel finishes.

Additionally, we have increased our range of cable accessories, cable ties, cable cleats and insulation tape etc.

Incorporated in this catalogue are our Sperrin Lighting range and our newly launched Sperrin Lamps, including GU10, GLS, Candle & Golf, G9 & G4, all available in 3000K, 4000K & 6400K colour.

FREE DELIVERY

ON ORDER VALUES AS FOLLOWS:

- N. Ireland @ £100.00 | Next Day Delivery
- R. Ireland @ €300.00 | Next Day Delivery
- UK @ £175.00 | 48hr Delivery

TERMS & CONDITIONS

ESR reserves the right to modify, change or withdraw products without prior notice. Products offered on sale may differ from those in catalogue. The data listed is offered purely as a guide. Returned goods will be charged a 25% re-stocking charge subject to prior agreement.

We recommend that our products are installed by a qualified electrician. ESR cannot be held responsible for incorrect application of any product.

Deliveries and products should be inspected upon delivery and breakages or discrepancies notified to ESR within 3 days.

Full terms & conditions may be found on our website

www.esrenterprise.com



Wiring Accessories

SLine	04-19
Quattro	20-31
Decorative	32-55
Metal Clad	56-61
Waterproof	62-64
Accessories	65-67



Consumer Units

68-77



Rotary Isolators

78-81



Junction Boxes

82-89



Industrial Plugs & Sockets

90-103



Conduit Accessories & Earthing Products

104-111



Cable Accessories

112-115



Conduit & Tape

112-115



Lighting & Lamps

Lighting Range	118-128
Lamp Range	129-143



A top quality curved design with interchangeable switch modules backed with our **20 YEAR GUARANTEE.**

All products comply with BS EN standards where applicable.



SL403



SL404



SL455



SL429



SL426



SL458

UNSWITCHED SOCKETS



		INNER BOX	OUTER BOX
SL403	13a 1 Gang Un-Switched Socket	10	100
SL404	13a 2 Gang Un-Switched Socket	10	100
SL426	5a 1 Gang Round Pin Un-Switched Socket	10	100
SL455	2a 1 Gang Round Pin Un-Switched Socket	10	100
SL429	15a 1 Gang Round Pin Switched Socket	10	100
SL458	Dual Voltage Shaver Socket	1	25



Wiring Accessories

S-LINE SWITCHED SOCKETS



SL405 / SL409



SL406E / SL410E / SL410



SL411



SL412



SL406UA+C



SL410/USB

SWITCHED SOCKETS

		 INNER BOX	 OUTER BOX
SL405	13a 1 Gang Single Pole Switched Socket	10	100
SL409	13a 1 Gang Double Pole Switched Socket	10	100
SL406E	13a 2 Gang Single Pole Switched Socket	10	100
SL410E	13a 2 Gang Double Pole Switched Socket (Economy Version)	10	100
SL410	13a 2 Gang Double Pole Switched Socket	10	100
SL411	13a 1 Gang Double Pole Switched Socket c/w Neon	10	100
SL412	13a 2 Gang Double Pole Switched Socket c/w Neon	10	100
SL406UA+C	13a 2 Gang S/P Switch Socket c/w Type A & C USB ports 5V 3.1a QC/PD Fast Charge	10	100
SL410/USB	13a 2 Gang Single Pole Switched Socket c/w 2 Type A USB Sockets. 3.14A total Output, 5V	10	100





SL301 / SL302 / SL313



SL304



SL306



SL308



SL310

WALL SWITCHES



SL301	10AX 1 Gang 1 Way Switch	10	100
SL302	10AX 1 Gang 2 Way Switch	10	100
SL313	10AX 1 Gang Intermediate Switch	10	100
SL304	10AX 2 Gang 2 Way Switch	10	100
SL306	10AX 3 Gang 2 Way Switch	10	100
SL308	10AX 4 Gang 2 Way Switch 3x6 Long Plate	10	100
SL310	10AX 6 Gang 2 Way Switch 3x6 Long Plate	10	100



Wiring Accessories

S-LINE 10AX WALL SWITCHES



SL337



SL316



SL317



SL340/SL342



SL312



SL323



SL323/ET



SL341/SL343

WALL SWITCHES



SL337	10AX Triple Pole Fan Isolated Switch	10	100
SL316	10AX 1 Gang Press Switch	10	100
SL317	10AX 1 Gang Bell Switch/Bell	10	100
SL312	10AX 1 Gang Double Pole Switch	10	100
SL323	10AX 1 Gang Double Pole Key Switch	10	100
SL323/ET	10AX 1 Gang Double Pole Key Switch	10	100
SL/KEYS	Spare Keys	10	100
SL340/SL342	10AX 1 Gang 2 Way Architrave Switch & 16mm Pattress Box	20	200
SL341/SL343	10AX 2 Gang 2 Way Architrave Switch & 16mm Pattress Box	10	100



SL3/1



SL3/2



SL3/3



SL3/4



SL3/6

MODULAR SWITCH PLATES

SL3/1	1 Gang Modular Switch Plate	10	100
SL3/2	2 Gang Modular Switch Plate	10	100
SL3/3	3 Gang Modular Switch Plate	10	100
SL3/4	4 Gang Modular Switch Plate	10	100
SL3/6	6 Gang Modular Switch Plate	10	100

MODULAR SWITCHES



SL313M	10AX 1 Gang Intermediate Switch	1	50
SL302M	10AX 1 Gang 2 Way	1	50
SL316M	10AX 1 Gang Press	1	50
SL317M	10AX 1 Gang Bell	1	50
SL312M	10AX 1 Gang DP	1	50
SL323M	10AX 1 Gang DP Module Key	1	50
SL323ETM	10AX 1 Gang DP Module Key Emergency	1	50



Wiring Accessories

EURO MODULE & BLANK PLATES



SLEP/1



SLEP/2



SLEP/4

EURO PLATES



SLEP/1	1 Gang Euro Plate 1 Modular	20	200
SLEP/2	1 Gang Euro Plate 2 Modular	20	200
SLEP/4	2 Gang Euro Plate 4 Modular	20	200

Euro Modules
Available—See
Page 12-13



SL401



SL402

BLANK PLATES



SL401	1 Gang Blank Plate	20	200
SL402	2 Gang Blank Plate	20	200

SCREW CAPS



SLCAP Screw Cap



Find our range of
Flush Steel Boxes
on Page 67





SL354/400



SL355/400



SL356/400



SL357/400

DIMMER SWITCHES




SL354/400	1 Gang 2 Way 400w Dimmer Switch	10	100
SL355/400	2 Gang 2 Way 400w Dimmer Switch	10	100
SL356/400	3 Gang 2 Way 400w Dimmer Switch (2 Gang Plate)	5	50
SL357/400	4 Gang 2 Way 400w Dimmer Switch (2 Gang Plate)	5	50





Wiring Accessories

S-LINE LED DIMMER SWITCHES



350LED

- ✓ Universal LED Dimmer Module
- ✓ Compatible with Leading or Trailing Edge dimming
- ✓ 5-100w LED Max Load
- ✓ 5-150w LV Halogen Max Load
- ✓ 5-150w Incandescent Max Load
- ✓ Overload Protection Function at 170w
- ✓ Overheat Protection
- ✓ EN 60669-2-1



SLDP/1



SLDP/3

LED DIMMER SWITCHES

		INNER BOX	OUTER BOX
350LED	LED Dimmer Module	1	10
SLDP/1	1 Gang Blank Dimmer Plate with Knob	10	100
SLDP/2	2 Gang Blank Dimmer Plate with Knobs	10	100
SLDP/3	3 Gang Blank Dimmer Plate with Knobs	10	100
SLDP/4	4 Gang Blank Dimmer Plate with Knobs	10	100





EM432/W

EM432/B



EM469/W

EM469/B



EM438/W

EM438/B



EM442RJ11/W

EM442RJ11/B

EM442RJ45/W

EM442RJ45/B



EM442/CAT6/W

EM442/CAT6/B



EM401/W



EM401/B

EURO MODULE SWITCHES

EM432/W	1 Gang TV/Coaxial Socket White
EM432/B	1 Gang TV/Coaxial Socket Black
EM469/W	1 Gang Satellite Socket White
EM469/B	1 Gang Satellite Socket Black
EM438/W	1 Gang Secondary Telephone Socket White
EM438/B	1 Gang Secondary Telephone Socket Black
EM439/W	1 Gang Master Telephone Socket White
EM439/B	1 Gang Master Telephone Socket Black
EM442RJ11/W	1 Gang RJ11 Data Socket, 8 Terminals White
EM442RJ11/B	1 Gang RJ11 Data Socket, 8 Terminals Black
EM442RJ45/W	1 Gang RJ45 Data Socket, 8 Terminals White
EM442RJ45/B	1 Gang RJ45 Data Socket, 8 Terminals Black
EM442/CAT6/W	RJ45 Euro Module Data Socket, CAT6 White
EM442/CAT6/B	RJ45 Euro Module Data Socket, CAT6 Black
EM401/W	Euro Module Blank, White
EM401/B	Euro Module Blank, Black

10
INNER BOX50
OUTER BOX



Wiring Accessories

20 AMP EURO MODULES



EM20DP/W



EM20DP/B



EM20DP/W/CHOOD
EM20DP/B/CHOOD



EM20DP/W/DWASHER
EM20DP/B/DWASHER



EM20DP/W/FAN
EM20DP/B/FAN



EM20DP/W/FREEZER
EM20DP/B/FREEZER



EM20DP/W/FRFREEZER
EM20DP/B/FRFREEZER



EM20DP/W/HOB
EM20DP/B/HOB



EM20DP/W/MWAVE
EM20DP/B/MWAVE



EM20DP/W/OVEN
EM20DP/B/OVEN



EM20DP/W/TUMDRYER
EM20DP/B/TUMDRYER



EM20DP/W/WMACHINE
EM20DP/B/WMACHINE

20A EURO MODULE SWITCHES

EM20DP/W	20a DP Euro Module Switch White
EM20DP/B	20a DP Euro Module Switch Black
EM20DP/W/CHOOD	20a DP Euro Module Switch White, Cooker Hood
EM20DP/B/CHOOD	20a DP Euro Module Switch Black, Cooker Hood
EM20DP/W/DWASHER	20a DP Euro Module Switch White, Dishwasher
EM20DP/B/DWASHER	20a DP Euro Module Switch Black, Dishwasher
EM20DP/W/FAN	20a DP Euro Module Switch White, Fan
EM20DP/B/FAN	20a DP Euro Module Switch Black, Fan
EM20DP/W/FREEZER	20a DP Euro Module Switch White, Freezer
EM20DP/B/FREEZER	20a DP Euro Module Switch Black, Freezer
EM20DP/W/FRFREEZER	20a DP Euro Module Switch White, Fridge Freezer
EM20DP/B/FRFREEZER	20a DP Euro Module Switch Black, Fridge Freezer
EM20DP/W/HOB	20a DP Euro Module Switch White, Hob
EM20DP/B/HOB	20a DP Euro Module Switch Black, Hob
EM20DP/W/MWAVE	20a DP Euro Module Switch White, Microwave
EM20DP/B/MWAVE	20a DP Euro Module Switch Black, Microwave
EM20DP/W/OVEN	20a DP Euro Module Switch White, Oven
EM20DP/B/OVEN	20a DP Euro Module Switch Black, Oven
EM20DP/W/TUMDRYER	20a DP Euro Module Switch White, Tumble Dryer
EM20DP/B/TUMDRYER	20a DP Euro Module Switch Black, Tumble Dryer
EM20DP/W/WMACHINE	20a DP Euro Module Switch White, Washing Machine
EM20DP/B/WMACHINE	20a DP Euro Module Switch Black, Washing Machine





SL416



SL413



SL413F



SL422



SL419



SL419F



All units include
cable clamp as
standard

FUSED CONNECTION UNITS



		INNER BOX	OUTER BOX
SL416	13a Fused Connection Unit	10	100
SL413	13a Fused Connection Unit c/w Neon	10	100
SL413F	13a Fused Connection Unit c/w Neon & Flex Outlet	10	100
SL422	13a Double Pole Switched Fused Connection Unit	10	100
SL419	13a Double Pole Switched Fused Connection Unit c/w Neon	10	100
SL419F	13a Double Pole Switched Fused Connection Unit c/w Neon & Front Flex Outlet	10	100



Wiring Accessories

S-LINE 20A DOUBLE POLE SWITCHES



SL325



SL324



SL324F



SL324/WH



SL326



SL820



All units include
cable clamp as
standard

20A DOUBLE POLE SWITCHES




SL325	20a Double Pole Switch	10	100
SL324	20a Double Pole Switch c/w Neon	10	100
SL324F	20a Double Pole Switch c/w Neon & Front Flex Outlet	10	100
SL324/WH	20a Double Pole Switch c/w Neon - Water Heater	10	100
SL326	2 x 20a Dual Immersion Heater Switch c/w Neon	10	100
SL820	20a 1 Gang Connection Plate	10	100



SL328




SL327



SL331



SL330



SL329



SL821

45A DOUBLE POLE SWITCHES



SL328	45a 1 Gang Double Pole Switch	10	100
SL327	45a 1 Gang Double Pole Switch c/w Neon	10	100
SL331	45a Double Pole Switch + 13a Switched Socket c/w Neon	5	50
SL330	45a 2 Gang Tall Double Pole Switch	5	50
SL329	45a 2 Gang Tall Double Pole Switch c/w Neon	5	50
SL821	45a 1 Gang Cooker Connection Plate	10	100



Wiring Accessories

S-LINE TELEPHONE/DATA SOCKETS TV/SATELLITE SOCKETS



SL438 / SL439



SL453



SL442 / SL442/CAT6



SL443 / SL443/CAT6

TELEPHONE/DATA SOCKETS

		 INNER BOX	 OUTER BOX
SL438	1 Gang Secondary Telephone Socket	10	100
SL439	1 Gang Master Telephone Socket	10	100
SL453	1 Gang Telephone Socket RJ11	10	100
SL442	1 Gang RJ45 Data Socket, 8 Terminals	10	100
SL442/CAT6	1 Gang RJ45 Cat 6 Data Socket, 8 Terminals	10	100
SL443	2 Gang RJ45 Data Socket, 8 Terminals	10	100
SL443/CAT6	2 Gang RJ45 Data Cat 6 Socket, 8 Terminals	10	100



SL432 / SL434



SL433 / SL435



SL469



SL468

TV/SATELLITE SOCKETS

		 INNER BOX	 OUTER BOX
SL432	1 Gang TV/Coaxial Socket Non-Isolated	10	100
SL434	1 Gang TV/Coaxial Socket Isolated	10	100
SL433	2 Gang TV/Coaxial Socket Non-Isolated	10	100
SL435	2 Gang TV/Coaxial Socket Isolated	10	100
SL469	1 Gang Satellite Socket	10	100
SL468	1 Gang Satellite Socket + TV Socket	10	100



SL813



SL814



SL805



SL806 / SL807



SL809



SL810 / SL811



SL812



SL808

SURFACE & PATTRESS BOXES



SL813	1 Gang 32mm Deep c/w 20mm Round & 25x16mm Mini Trunking Knockouts	10	240
SL814	2 Gang 32mm Deep c/w 20mm Round & 25x16mm Mini Trunking Knockouts	10	120
SL805	1 Gang 16mm Pattress Box c/w Earth Terminal	10	100
SL806	1 Gang 25mm Pattress Box	10	100
SL807	1 Gang 35mm Pattress Box	10	100
SL809	1 Gang 47mm Pattress Box c/w Earth Terminal	10	100
SL810	2 Gang 25mm Pattress Box	5	100
SL811	2 Gang 35mm Pattress Box	5	50
SL812	2 Gang 47mm Pattress Box c/w Earth Terminal	5	50
SL808	1 Gang 25mm Dual Pattress Box c/w Earth Terminal	5	50



SL321



SL333 / SL334



SL701



SL614



SL601



SL602



SL604



SL605



SL618 / SL619

CEILING ACCESSORIES



	INNER BOX	OUTER BOX
SL321 10a 2 Way Pull Switch	10	100
SL333 45a Double Pole Pull Switch	10	100
SL334 50a Double Pole Pull Switch	10	100
SL618 6" Pendant Set c/w T2 Metal Lampholder	10	100
SL619 9" Pendant Set c/w T2 Metal Lampholder	10	100
SL701 6a Ceiling Rose	10	100
SL614 T2 Lampholder	20	200
SL601 Long Skirt Batten Holder	10	100
SL602 Short Skirt Batten Holder	10	100
SL604 Batten Holder & Ceiling Rose	10	100
SL605 Angled Long Skirt Batten Holder	10	100

QUATTRO
QUALITY ELECTRICAL ACCESSORIES

A Classic Square Design with interchangeable modules backed by our **20 YEAR GUARANTEE.**

All products comply with BS EN standards where applicable.



Q403



Q404



Q426



Q458

UNSWITCHED SOCKETS

		 INNER BOX	 OUTER BOX
Q403	13a 1 Gang Un-Switched Socket	10	100
Q404	13a 2 Gang Un-Switched Socket	10	100
Q426	5a 1 Gang Round Pin Un-Switched Socket	10	100
Q458	Dual Voltage Shaver Socket	1	25



Q405/ Q409



Q406E / Q410



Q406/USB



Q406UA+C



Q411



Q412

SWITCHED SOCKETS

		INNER BOX 10	OUTER BOX 100
Q405	13a 1 Gang Single Pole Switched Socket	10	100
Q409	13a 1 Gang Double Pole Switched Socket	10	100
Q410	13a 2 Gang Double Pole Switched Socket	10	100
Q406E	13a 2 Gang Single Pole Switched Socket	10	100
Q406/USB	13a 2 Gang Single Pole Switched Socket c/w 2 Type A USB Sockets. 3.1A total Output, 5V	10	100
Q406UA+C	13a 2 Gang S/P Switch Socket c/w Type A & C USB ports 5V 3.1a QC/	10	100
Q411	13a 1 Gang Double Pole Switched Socket c/w Neon	10	100
Q412	13a 2 Gang Double Pole Switched Socket c/w Neon	10	100




Q301 / Q302 / Q313



Q304



Q306



Q308



Q310

WALL SWITCHES



INNER BOX OUTER BOX

Q301	10AX 1 Gang 1 Way Switch	10	100
Q302	10AX 1 Gang 2 Way Switch	10	100
Q313	10AX 1 Gang Intermediate Switch	10	100
Q304	10AX 2 Gang 2 Way Switch	10	100
Q306	10AX 3 Gang 2 Way Switch	10	100
Q308	10AX 4 Gang 2 Way Switch 3x6 Long Plate	10	100
Q310	10AX 6 Gang 2 Way Switch 3x6 Long Plate	10	100



Q316



Q337



Q340/ Q342



Q312



Q323



Q323/ET




Q341/Q343

WALL SWITCHES



Q316	10AX 1 Gang Press Switch	10	100
Q337	10AX Triple Pole Fan Isolated Switch	10	100
Q312	10AX 1 Gang Double Pole Switch	10	100
Q323	10AX 1 Gang Double Pole Key Switch	10	100
Q323/ET	10AX 1 Gang Double Pole Key Switch	10	100
Q/KEYS	Spare Keys	10	100
Q340/Q342	10AX 1 Gang 2 Way Architrave Switch & 16mm Pattress Box	20	200
Q341/Q343	10AX 2 Gang 2 Way Architrave Switch & 16mm Pattress Box	10	100

ESR Wiring Accessories QUATTRO MODULAR PLATES & SWITCHES



Q3/1



Q3/2



Q3/3



Q3/4



Q3/6

MODULAR SWITCH PLATES

		 INNER BOX	 OUTER BOX
Q3/1	1 Gang Modular Switch Plate	10	100
Q3/2	2 Gang Modular Switch Plate	10	100
Q3/3	3 Gang Modular Switch Plate	10	100
Q3/4	4 Gang Modular Switch Plate	10	100
Q3/6	6 Gang Modular Switch Plate	10	100

MODULAR SWITCHES



		 INNER BOX	 OUTER BOX
Q313M	10AX 1 Gang Intermediate Switch	1	50
Q302M	10AX 1 Gang 2 Way	1	50
Q316M	10AX 1 Gang Press	1	50
Q312M	10AX 1 Gang DP	1	50
Q323M	10AX 1 Gang DP Module Key	1	50
Q323ETM	10AX 1 Gang DP Module Key Emergency	1	50



Wiring Accessories

QUATTRO DIMMER SWITCHES & LED MODULE & PLATES



Q354/400



Q355/400



Q356/400



Q357/400

DIMMER SWITCHES

			
Q354/400	1 Gang 2 Way 400w Dimmer Switch	10	100
Q355/400	2 Gang 2 Way 400w Dimmer Switch	10	100
Q356/400	3 Gang 2 Way 400w Dimmer Switch (2 Gang Plate)	5	50
Q357/400	4 Gang 2 Way 400w Dimmer Switch (2 Gang Plate)	5	50



350LED



QDP/1



QDP/3

LED DIMMER MODULE & 1G—4G PLATES

			
350LED	Dimmer Module	1	10
QDP/1	1 Gang Blank Dimmer Plate with Knob	10	100
QDP/2	2 Gang Blank Dimmer Plate with Knobs	10	100
QDP/3	3 Gang Blank Dimmer Plate with Knobs	10	100
QDP/4	4 Gang Blank Dimmer Plate with Knobs	10	100




Q416

Q422

Q413

Q419


All units include
cable clamp as
standard

FUSED CONNECTION UNITS



Q416	13a Fused Connection Unit	10	100
Q413	13a Fused Connection Unit c/w Neon	10	100
Q422	13a Double Pole Switched Fused Connection Unit	10	100
Q419	13a Double Pole Switched Fused Connection Unit c/w Neon	10	100



Wiring Accessories QUATTRO 20A DOUBLE POLE SWITCHES



Q325



Q324



Q324/WH



Q326



Q820



All units include
cable clamp as
standard

20A DOUBLE POLE SWITCHES




Q325	20a Double Pole Switch	10	100
Q324	20a Double Pole Switch c/w Neon	10	100
Q324/WH	20a Double Pole Switch c/w Neon - Water Heater	10	100
Q326	2 x 20a Dual Immersion Heater Switch c/w Neon	10	100
Q820	20a 1 Gang Connection Plate	10	100




Q328



Q327



Q331



Q330



Q329



Q821

45A DOUBLE POLE SWITCHES



Q328	45a 1 Gang Double Pole Switch	10	100
Q327	45a 1 Gang Double Pole Switch c/w Neon	10	100
Q331	45a Double Pole Switch + 13a Switched Socket c/w Neon	5	50
Q330	45a 2 Gang Tall Double Pole Switch	5	50
Q329	45a 2 Gang Tall Double Pole Switch c/w Neon	5	50
Q821	45a 1 Gang Cooker Connection Plate	10	100



Wiring Accessories

QUATTRO TV/SATELLITE SOCKETS & BLANK PLATES



Q432 / Q434



Q433 / Q435



Q469



Q468

TV/SATELLITE SOCKETS



Q432	1 Gang TV/Coaxial Socket Non-Isolated	10	100
Q434	1 Gang TV/Coaxial Socket Isolated	10	100
Q433	2 Gang TV/Coaxial Socket Non-Isolated	10	100
Q435	2 Gang TV/Coaxial Socket Isolated	10	100
Q469	1 Gang Satellite Socket	10	100
Q468	1 Gang Satellite Socket + TV Socket	10	100



Q401



Q402

BLANK PLATES



Q401	1 Gang Blank Plate	20	200
Q402	2 Gang Blank Plate	20	200



Q438 / Q439



Q453



Q442 / Q442/CAT6



Q443 / Q442/CAT6

TELEPHONE/DATA SOCKETS

			
Q438	1 Gang Secondary Telephone Socket	10	100
Q439	1 Gang Master Telephone Socket	10	100
Q453	1 Gang Telephone Socket RJ11	10	100
Q442	1 Gang RJ45 Data Socket, 8 Terminals	10	100
Q442/CAT6	1 Gang RJ45 Data Socket Cat 6, 8 Terminals	10	100
Q443	2 Gang RJ45 Data Socket, 8 Terminals	10	100
Q443/CAT6	2 Gang RJ45 Data Socket Cat 6, 8 Terminals	10	100



QEP/1



QEP/2



QEP/4

EURO PLATES

			
QEP/1	1 Gang Euro Plate 1 Modular	20	200
QEP/2	1 Gang Euro Plate 2 Modular	20	200
QEP/4	2 Gang Euro Plate 4 Modular	20	200

Euro Modules
Available—See
Pages 12-13



Wiring Accessories QUATTRO SURFACE & PATTRESS BOXES



Q813



Q814



Q805



Q806 / Q807



Q809



Q810 / Q811



Q812



Q808

SURFACE & PATTRESS BOXES



Q813	1 Gang 32mm Deep c/w 20mm Round & 25x16mm Mini Trunking Knockouts	10	240
Q814	2 Gang 32mm Deep c/w 20mm Round & 25x16mm Mini Trunking Knockouts	10	120
Q805	1 Gang 16mm Pattress Box c/w Earth Terminal	10	100
Q806	1 Gang 25mm Pattress Box	10	100
Q807	1 Gang 35mm Pattress Box	10	100
Q809	1 Gang 47mm Pattress Box c/w Earth Terminal	10	100
Q810	2 Gang 25mm Pattress Box	5	100
Q811	2 Gang 35mm Pattress Box	5	50
Q812	2 Gang 47mm Pattress Box c/w Earth Terminal	5	50
Q808	1 Gang 25mm Dual Pattress Box c/w Earth Terminal	5	50

DAYTONA

Decorative wiring accessories with interchangeable modules backed with our **20 YEAR GUARANTEE.**

- Chrome Nickel
- Matt Finish
- 5mm Depth
- High Quality Steel

All products comply with BS EN standards where applicable.

SOCKETS



CMN409BKM



CMN410BKM



CMN409USBBKM



CMN410USBBKM



CMN426BKM



CMN406UA+CBKM

Part No	Description	INNER BOX	OUTER BOX
CMN409BKM	13a 1 Gang Double Pole Switched Socket	10	100
CMN410BKM	13a 2 Gang Double Pole Switched Socket	5	50
CMN409USBBKM	13a 1 Gang Single Pole Switched Socket c/w 1 Type A USB Sockets. 2.4A Total Output, 5V	10	100
CMN410USBBKM	13a 2 Gang Single Pole Switched Socket c/w 2 Type A USB Sockets. 3.1A Total Output, 5V	5	50
CNM426BKM	5a 1 Gang Round Pin Un-switched Socket	10	100
CMN406UA+CBKM	13a 2 Gang S/P Switch Socket c/w Type A & C USB ports 5V 3.1a QC/PD Fast Charge	5	50



10AX WALL SWITCHES



CNM302BKM / CNM313BKM



CNM304BKM



CNM306BKM



CNM308BKM



CNM310BKM



CNM337BKM

Part No	Description	INNER BOX	OUTER BOX
CNM302BKM	10AX 1 Gang 2 Way Switch	10	100
CNM313BKM	10AX 1 Gang Intermediate Switch	10	100
CNM304BKM	10AX 2 Gang 2 Way Switch	10	100
CNM306BKM	10AX 3 Gang 2 Way Switch	10	100
CNM308BKM	10AX 4 Gang 2 Way Switch 3x6 Long Plate	5	50
CNM310BKM	10AX 6 Gang 2 Way Switch 3x6 Long Plate	5	50
CNM337BKM	10AX Triple Pole Fan Isolator Switch	10	100



INNER BOX

OUTER BOX

MODULAR SWITCHES



Part No	Description	INNER BOX	OUTER BOX
CNM313M	10AX 1 Gang Intermediate Switch	1	50
CNM302M	10AX 1 Gang 2 Way	1	50
CNM312M	10AX 1 Gang DP	1	50



INNER BOX

OUTER BOX

CHROME SCREW



Part No	Description	INNER BOX	OUTER BOX
M3.5X50CH	Chrome M3.5x50 CSK Screw	2	100



INNER BOX

OUTER BOX

DIMMER SWITCHES



CNM354/400BKM



CNM355/400BKM



CNM356/400BKM



CNM357/400BKM

Part No	Description	 INNER BOX	 OUTER BOX
CNM354/400BKM	1 Gang 2 Way 400w Dimmer Switch	10	100
CNM355/400BKM	2 Gang 2 Way 400w Dimmer Switch	10	100
CNM356/400BKM	3 Gang 2 Way 400w Dimmer Switch (2 Gang Plate)	5	50
CNM357/400BKM	4 Gang 2 Way 400w Dimmer Switch (2 Gang Plate)	5	50

LED DIMMER MODULE & 1G—4G PLATES



350LED



CNMDP1BKM



CNMDP3BKM

Part No	Description	 INNER BOX	 OUTER BOX
350LED	LED Dimmer Module	1	10
CNMDP1BKM	1 Gang Blank Dimmer Plate with Knob	10	100
CNMDP2BKM	2 Gang Blank Dimmer Plate with Knobs	10	100
CNMDP3BKM	3 Gang Blank Dimmer Plate with Knobs	5	50
CNMDP4BKM	4 Gang Blank Dimmer Plate with Knobs	5	50



Wiring Accessories

DAYTONA CHROME NICKEL 13A FUSED UNIT & 20A DP SWITCHES

13A FUSED CONNECTION UNITS



CNM416BKM



CNM413BKM



CNM422BKM



CNM419BKM

Part No	Description	INNER BOX	OUTER BOX
CNM416BKM	13a Fused Connection Unit	10	100
CNM413BKM	13a Fused Connection Unit c/w Neon	10	100
CNM422BKM	13a Double Pole Switched Fused Connection Unit	10	100
CNM419BKM	13a Double Pole Switched Fused Connection Unit c/w Neon	10	100



20A DOUBLE POLE SWITCHES



CNM325BKM



CNM324BKM



CNM326BKM

Part No	Description	INNER BOX	OUTER BOX
CNM325BKM	20a Double Pole Switch	10	100
CNM324BKM	20a Double Pole Switch c/w Neon	10	100
CNM326BKM	2 x 20a Dual Immersion Heater Switch c/w Neon	10	100



45A DOUBLE POLE SWITCHES



CNM328BKM



CNM327BKM



CNM331BKM



CNM330BKM



CNM329BKM



CMN458BKM



Part No	Description	INNER BOX	OUTER BOX
CNM328BKM	45a 1 Gang Double Pole Switch	10	100
CNM327BKM	45a 1 Gang Double Pole Switch c/w Neon	10	100
CNM331BKM	45a Double Pole Switch + 13a Switched Socket c/w Neon	5	50
CNM330BKM	45a 2 Gang Tall Double Pole Switch	5	50
CNM329BKM	45a 2 Gang Tall Double Pole Switch c/w Neon	5	50
CMN458BKM	Dual Voltage Shaver Socket	1	25



Wiring Accessories

DAYTONA CHROME NICKEL COAX/SATELLITE
TEL SOCKETS, BLANK & EURO PLATES

COAX / SATELLITE SOCKETS



CNM432BKM



CNM469BKM



CNM468BKM

Part No	Description	INNER BOX	OUTER BOX
CNM432BKM	1 Gang TV/Coaxial Socket Non-Isolated	10	100
CNM469BKM	1 Gang Satellite Socket	10	100
CNM468BKM	1 Gang Satellite Socket + TV Socket	10	100

TELEPHONE / DATA SOCKETS



CNM438BKM



CNM453BKM



CNM442BKM

Part No	Description	INNER BOX	OUTER BOX
CNM438BKM	1 Gang Secondary Telephone Socket	10	100
CNM453BKM	1 Gang Telephone Socket RJ11	10	100
CNM442BKM	1 Gang RJ45 Data Socket, 8 Terminals	10	100
CNM442/CAT6BKM	1 Gang RJ45 Data Socket, CAT6	10	100

BLANK PLATES & EURO PLATES



CNM401BKM



CNMEP2BKM



CNMEP4BKM

Part No	Description	INNER BOX	OUTER BOX
CNM401BKM	1 Gang Blank Plate	10	100
CNM402BKM	2 Gang Blank Plate	5	50
CNMEP1BKM	1 Gang Euro Plate 1 Modular	10	100
CNMEP2BKM	1 Gang Euro Plate 2 Modular	10	100
CNMEP4BKM	2 Gang Euro Plate 4 Modular	5	50

DAYTONA

Decorative wiring accessories with interchangeable modules backed with our **20 YEAR GUARANTEE.**

- Antique Brass
- Matt Finish
- 5mm Depth
- High Quality Steel

All products comply with BS EN standards where applicable.

SOCKETS



AB409BKM



AB410BKM



AB410USBBKM



AB426BKM



AB406UA+CBKM

Part No	Description	INNER BOX	OUTER BOX
AB409BKM	13a 1 Gang Double Pole Switched Socket	10	100
AB410BKM	13a 2 Gang Double Pole Switched Socket	5	50
AB410USBBKM	13a 2 Gang Single Pole Switched Socket c/w 2 Type A USB Sockets. 3.1A Total Output, 5V	5	50
AB426BKM	5a 1 Gang Round Pin Un-switched Socket	10	100
AB406UA+CBKM	13a 2 Gang S/P Switch Socket c/w Type A & C USB ports 5V 3.1a QC/PD Fast Charge	5	50



10AX WALL SWITCHES



AB302BKM / AB313BKM



AB304BKM



AB306BKM



AB308BKM



AB310BKM



AB337BKM

Part No	Description	INNER BOX OUTER BOX	
AB302BKM	10AX 1 Gang 2 Way Switch	10	100
AB313BKM	10AX 1 Gang Intermediate Switch	10	100
AB304BKM	10AX 2 Gang 2 Way Switch	10	100
AB306BKM	10AX 3 Gang 2 Way Switch	10	100
AB308BKM	10AX 4 Gang 2 Way Switch 3x6 Long Plate	5	50
AB310BKM	10AX 6 Gang 2 Way Switch 3x6 Long Plate	5	50
AB337BKM	10AX Triple Pole Fan Isolator Switch	10	100

MODULAR SWITCHES



Part No	Description	INNER BOX OUTER BOX	
AB313M	10AX 1 Gang Intermediate Switch	1	50
AB302M	10AX 1 Gang 2 Way	1	50
AB312M	10AX 1 Gang DP	1	50

ANTIQUe BRASS SCREW



Part No	Description	INNER BOX OUTER BOX	
M3.5X50AB	Antique Brass M3.5x50 CSK Screw	2	100

DIMMER SWITCHES



AB354/400BKM



AB355/400BKM



AB356/400BKM



AB357/400BKM

Part No	Description	 INNER BOX	 OUTER BOX
AB354/400BKM	1 Gang 2 Way 400w Dimmer Switch	10	100
AB355/400BKM	2 Gang 2 Way 400w Dimmer Switch	10	100
AB356/400BKM	3 Gang 2 Way 400w Dimmer Switch (2 Gang Plate)	5	50
AB357/400BKM	4 Gang 2 Way 400w Dimmer Switch (2 Gang Plate)	5	50

LED DIMMER MODULE & 1G—4G PLATES



350LED



ABDP1BKM



ABDP3BKM

Part No	Description	 INNER BOX	 OUTER BOX
350LED	LED Dimmer Module	1	10
ABDP1BKM	1 Gang Blank Dimmer Plate with Knob	10	100
ABDP2BKM	2 Gang Blank Dimmer Plate with Knobs	10	100
ABDP3BKM	3 Gang Blank Dimmer Plate with Knobs	5	50
ABDP4BKM	4 Gang Blank Dimmer Plate with Knobs	5	50



Wiring Accessories

DAYTONA ANTIQUE BRASS FUSED UNIT & 20A DP SWITCHES

13A FUSED CONNECTION UNITS



AB416BKM



AB422BKM



AB419BKM

Part No	Description	INNER BOX	OUTER BOX
AB416BKM	13a Fused Connection Unit	10	100
AB422BKM	13a Double Pole Switched Fused Connection Unit	10	100
AB419BKM	13a Double Pole Switched Fused Connection Unit c/w Neon	10	100

20A DOUBLE POLE SWITCHES



AB325BKM



AB324BKM



AB326BKM

Part No	Description	INNER BOX	OUTER BOX
AB325BKM	20a Double Pole Switch	10	100
AB324BKM	20a Double Pole Switch c/w Neon	10	100
AB326BKM	2 x 20a Dual Immersion Heater Switch c/w Neon	10	100

45A DOUBLE POLE SWITCHES



AB327BKM



AB331BKM



AB329BKM



AB458BKM



Part No	Description		
AB327BKM	45a 1 Gang Double Pole Switch c/w Neon	10	100
AB330BKM	45a 2 Gang Tall Double Pole Switch	5	50
AB329BKM	45a 2 Gang Tall Double Pole Switch c/w Neon	5	50
AB458BKM	Dual Voltage Shaver Socket	1	25

COAX / SATELLITE SOCKETS



AB432BKM



AB469BKM



AB468BKM



Part No	Description	INNER BOX	OUTER BOX
AB432BKM	1 Gang TV/Coaxial Socket Non-Isolated	10	100
AB469BKM	1 Gang Satellite Socket	10	100
AB468BKM	1 Gang Satellite Socket + TV Socket	10	100

TELEPHONE / DATA SOCKETS



AB438BKM



AB442BKM



Part No	Description	INNER BOX	OUTER BOX
AB438BKM	1 Gang Secondary Telephone Socket	10	100
AB442BKM	1 Gang RJ45 Data Socket, 8 Terminals	10	100
AB442/CAT6BKM	1 Gang RJ45 Data Socket, CAT6	10	100

BLANK PLATES & EURO PLATES



AB401BKM



ABEP2BKM



ABEP4BKM



Part No	Description	INNER	OUTER BOX
AB401BKM	1 Gang Blank Plate	10	100
AB402BKM	2 Gang Blank Plate	5	50
ABEP1BKM	1 Gang Euro Plate 1 Modular	10	50
ABEP2BKM	1 Gang Euro Plate 2 Modular	10	50
ABEP4BKM	2 Gang Euro Plate 4 Modular	5	50

DAYTONA

Decorative wiring accessories with interchangeable modules backed with our **20 YEAR GUARANTEE.**

- Polished Chrome
- 5mm Depth
- High Quality Steel

All products comply with BS EN standards where applicable.

SOCKETS



PC409BKM



PC410BKM



PC410USBBKM



PC426BKM



PC406UA+CBKM

Part No	Description	 	
		INNER BOX	OUTER BOX
PC409BKM	13a 1 Gang Double Pole Switched Socket	10	100
PC410BKM	13a 2 Gang Double Pole Switched Socket	5	50
PC410USBBKM	13a 2 Gang Single Pole Switched Socket c/w 2	5	50
PC426BKM	5a 1 Gang Round Pin Un-switched Socket	10	100
PC406UA+CBKM	13a 2 Gang S/P Switch Socket c/w Type A & C USB ports 5V 3.1a QC/PD Fast Charge	5	50

10AX WALL SWITCHES



PC302BKM / PC313BKM




PC304BKM



PC306BKM



PC308BKM



PC310BKM



PC337BKM

Part No	Description	INNER BOX	OUTER BOX
PC302BKM	10AX 1 Gang 2 Way Switch	10	100
PC313BKM	10AX 1 Gang Intermediate Switch	10	100
PC304BKM	10AX 2 Gang 2 Way Switch	10	100
PC306BKM	10AX 3 Gang 2 Way Switch	10	100
PC308BKM	10AX 4 Gang 2 Way Switch 3x6 Long Plate	5	50
PC310BKM	10AX 6 Gang 2 Way Switch 3x6 Long Plate	5	50
PC337BKM	10AX Triple Pole Fan Isolator Switch	10	100



INNER BOX

OUTER BOX

MODULAR SWITCHES



Part No	Description	INNER BOX	OUTER BOX
PC313M	10AX 1 Gang Intermediate Switch	1	50
PC302M	10AX 1 Gang 2 Way	1	50
PC312M	10AX 1 Gang DP	1	50



INNER BOX

OUTER BOX

CHROME SCREW



Part No	Description	INNER BOX	OUTER BOX
M3.5X50CH	Chrome M3.5x50 CSK Screw	2	100



INNER BOX

OUTER BOX

DIMMER SWITCHES



PC354/400BKM



PC355/400BKM



PC356/400BKM



PC357/400BKM

Part No	Description	 INNER BOX	 OUTER BOX
PC354/400BKM	1 Gang 2 Way 400w Dimmer Switch	10	100
PC355/400BKM	2 Gang 2 Way 400w Dimmer Switch	10	100
PC356/400BKM	3 Gang 2 Way 400w Dimmer Switch (2 Gang Plate)	5	50
PC357/400BKM	4 Gang 2 Way 400w Dimmer Switch (2 Gang Plate)	5	50

LED DIMMER MODULE & 1G—4G PLATES



350LED



PCDP1BKM



PCDP3BKM

Part No	Description	 INNER BOX	 OUTER BOX
350LED	LED Dimmer Module	1	10
PCDP1BKM	1 Gang Blank Dimmer Plate with Knob	10	100
PCDP2BKM	2 Gang Blank Dimmer Plate with Knobs	10	100
PCDP3BKM	3 Gang Blank Dimmer Plate with Knobs	5	50
PCDP4BKM	4 Gang Blank Dimmer Plate with Knobs	5	50



Wiring Accessories

DAYTONA POLISHED CHROME FUSED UNIT & 20A DP SWITCHES

13A FUSED CONNECTION UNITS



PC416BKM



PC422BKM



PC419BKM

Part No	Description	 	
PC416BKM	13a Fused Connection Unit	10	100
PC422BKM	13a Double Pole Switched Fused Connection Unit	10	100
PC419BKM	13a Double Pole Switched Fused Connection Unit c/w Neon	10	100

20A DOUBLE POLE SWITCHES



PC325BKM



PC324BKM



PC326BKM

Part No	Description	 	
PC325BKM	20a Double Pole Switch	10	100
PC324BKM	20a Double Pole Switch c/w Neon	10	100
PC326BKM	2 x 20a Dual Immersion Heater Switch c/w Neon	10	100

45A DOUBLE POLE SWITCHES



PC327BKM



PC331BKM



PC329BKM



PC458BKM



Part No	Description		
PC327BKM	45a 1 Gang Double Pole Switch c/w Neon	10	100
PC330BKM	45a 2 Gang Tall Double Pole Switch	5	50
PC329BKM	45a 2 Gang Tall Double Pole Switch c/w Neon	5	50
PC458BKM	Dual Voltage Shaver Socket	1	25



Wiring Accessories

DAYTONA POLISHED CHROME COAX/SATELLITE,
TEL SOCKETS, BLANK & EURO PLATES

COAX / SATELLITE SOCKETS



PC432BKM



PC469BKM



PC468BKM



Part No	Description	INNER BOX	OUTER BOX
PC432BKM	1 Gang TV/Coaxial Socket Non-Isolated	10	100
PC469BKM	1 Gang Satellite Socket	10	100
PC468BKM	1 Gang Satellite Socket + TV Socket	10	100

TELEPHONE / DATA SOCKETS



PC438BKM



PC442BKM



Part No	Description	INNER BOX	OUTER BOX
PC438BKM	1 Gang Secondary Telephone Socket	10	100
PC442BKM	1 Gang RJ45 Data Socket, 8 Terminals	10	100
PC442/CAT6BKM	1 Gang RJ45 Data Socket, CAT6	10	100

BLANK PLATES & EURO PLATES



PC401BKM



PCEP2BKM



PCEP4BKM



Part No	Description	INNER BOX	OUTER BOX
PC401BKM	1 Gang Blank Plate	10	100
PC402BKM	2 Gang Blank Plate	5	50
PCEP1BKM	1 Gang Euro Plate 1 Modular	10	50
PCEP2BKM	1 Gang Euro Plate 2 Modular	10	50
PCEP4BKM	2 Gang Euro Plate 4 Modular	5	50

DAYTONA

Decorative wiring accessories with interchangeable modules backed with our **20 YEAR GUARANTEE.**

- BLACK NICKEL
- 5mm Depth
- High Quality Steel

All products comply with BS EN standards where applicable.

SOCKETS



BN409BKM



BN410BKM



BN410USBBKM



BN426BKM



BN406UA+CBKM

Part No	Description	 	
		INNER BOX	OUTER BOX
BN409BKM	13a 1 Gang Double Pole Switched Socket	10	100
BN410BKM	13a 2 Gang Double Pole Switched Socket	5	50
BN410USBBKM	13a 2 Gang Single Pole Switched Socket c/w 2 Type A USB Sockets. 3.1A Total Output, 5V	5	50
BN426BKM	5a 1 Gang Round Pin Un-switched Socket	10	100
BN406UA+CBKM	13a 2 Gang S/P Switch Socket c/w Type A & C USB ports 5V 3.1a QC/PD Fast Charge	5	50

10AX WALL SWITCHES



BN302BKM / BN313BKM



BN304BKM



BN306BKM



BN308BKM



BN310BKM



BN337BKM

Part No	Description	INNER BOX	OUTER BOX
BN302BKM	10AX 1 Gang 2 Way Switch	10	100
BN313BKM	10AX 1 Gang Intermediate Switch	10	100
BN304BKM	10AX 2 Gang 2 Way Switch	10	100
BN306BKM	10AX 3 Gang 2 Way Switch	10	100
BN308BKM	10AX 4 Gang 2 Way Switch 3x6 Long Plate	5	50
BN310BKM	10AX 6 Gang 2 Way Switch 3x6 Long Plate	5	50
BN337BKM	10AX Triple Pole Fan Isolator Switch	10	100

MODULAR SWITCHES



Part No	Description	INNER BOX	OUTER BOX
BN313M	10AX 1 Gang Intermediate Switch	1	50
BN302M	10AX 1 Gang 2 Way	1	50
BN312M	10AX 1 Gang DP	1	50

BLACK NICKEL SCREW



Part No	Description	INNER BOX	OUTER BOX
M3.5X50BN	Black Nickel M3.5x50 CSK Screw	2	100

DIMMER SWITCHES




BN354/400BKM



BN355/400BKM



BN356/400BKM



BN357/400BKM

Part No	Description	 INNER BOX	 OUTER BOX
BN354/400BKM	1 Gang 2 Way 400w Dimmer Switch	10	100
BN355/400BKM	2 Gang 2 Way 400w Dimmer Switch	10	100
BN356/400BKM	3 Gang 2 Way 400w Dimmer Switch (2 Gang Plate)	5	50
BN357/400BKM	4 Gang 2 Way 400w Dimmer Switch (2 Gang Plate)	5	50

LED DIMMER MODULE & 1G—4G PLATES



350LED



BNDP1BKM



BNDP3BKM

Part No	Description	 INNER BOX	 OUTER BOX
350LED	LED Dimmer Module	1	10
BNDP1BKM	1 Gang Blank Dimmer Plate with Knob	10	100
BNDP2BKM	2 Gang Blank Dimmer Plate with Knobs	10	100
BNDP3BKM	3 Gang Blank Dimmer Plate with Knobs	5	50
BNDP4BKM	4 Gang Blank Dimmer Plate with Knobs	5	50



Wiring Accessories

DAYTONA BLACK NICKEL FUSED UNIT & 20A DP SWITCHES

13A FUSED CONNECTION UNITS



BN416BKM



BN422BKM



BN419BKM

Part No	Description	INNER BOX	OUTER BOX
BN416BKM	13a Fused Connection Unit	10	100
BN422BKM	13a Double Pole Switched Fused Connection Unit	10	100
BN419BKM	13a Double Pole Switched Fused Connection Unit c/w Neon	10	100

20A DOUBLE POLE SWITCHES



BN325BKM



BN324BKM



BN326BKM

Part No	Description	INNER BOX	OUTER BOX
BN325BKM	20a Double Pole Switch	10	100
BN324BKM	20a Double Pole Switch c/w Neon	10	100
BN326BKM	2 x 20a Dual Immersion Heater Switch c/w Neon	10	100

45A DOUBLE POLE SWITCHES



BN327BKM



BN331BKM



BN329BKM



BN458BKM



Part No	Description	INNER BOX	OUTER BOX
BN327BKM	45a 1 Gang Double Pole Switch c/w Neon	10	100
BN330BKM	45a 2 Gang Tall Double Pole Switch	5	50
BN329BKM	45a 2 Gang Tall Double Pole Switch c/w Neon	5	50
BN458BKM	Dual Voltage Shaver Socket	1	25



Wiring Accessories

DAYTONA BLACK NICKEL COAX/SATELLITE,
TEL SOCKETS, BLANK & EURO PLATES

COAX / SATELLITE SOCKETS



BN432BKM



BN469BKM



BN468BKM

Part No	Description	INNER BOX	OUTER BOX
BN432BKM	1 Gang TV/Coaxial Socket Non-Isolated	10	100
BN469BKM	1 Gang Satellite Socket	10	100
BN468BKM	1 Gang Satellite Socket + TV Socket	10	100

TELEPHONE / DATA SOCKETS



BN438BKM



BN442BKM

Part No	Description	INNER BOX	OUTER BOX
BN438BKM	1 Gang Secondary Telephone Socket	10	100
BN442BKM	1 Gang RJ45 Data Socket, 8 Terminals	10	100
BN442/CAT6BKM	1 Gang RJ45 Data Socket, CAT6	10	100

BLANK PLATES & EURO PLATES



BN401BKM



BNEP2BKM



BNEP4BKM

Part No	Description	INNER BOX	OUTER BOX
BN401BKM	1 Gang Blank Plate	10	100
BN402BKM	2 Gang Blank Plate	5	50
BNEP1BKM	1 Gang Euro Plate 1 Modular	10	50
BNEP2BKM	1 Gang Euro Plate 2 Modular	10	50
BNEP4BKM	2 Gang Euro Plate 4 Modular	5	50

13A SWITCHED



Part No	Description	INNER BOX	OUTER
MC502	13a 1 Gang Double Pole Switched Socket	5	100
MC504	13a 2 Gang Double Pole Switched Socket	5	50

13A SWITCHED SOCKETS WITH NEON



Part No	Description	INNER BOX	OUTER BOX
MC502N	13a 1 Gang Double Pole Switched Socket c/w Neon	5	100
MC504N	13a 2 Gang Double Pole Switched Socket c/w Neon	5	50

13A SWITCHED SOCKETS WITH USB POINT



Part No	Description	INNER BOX	OUTER BOX
MC504/USB	13a 2 Gang Single Pole Switched Socket c/w 2 Type A USB Sockets. 3.1A Total Output, 5V	5	50
MC504UA+B	13a 2 Gang S/P Switch Socket c/w Type A & C USB ports 5V 3.1a QC/PD Fast Charge	5	50

1 GANG WALL SWITCHES



Part No	Description
MC112	10AX 1 Gang 2 Way Switch
MC110	10AX 1 Gang Intermediate Switch



2 GANG WALL SWITCH



Part No	Description
MC122	10AX 2 Gang 2 Way Switch



3 GANG WALL SWITCH



Part No	Description
MC132	10AX 3 Gang 2 Way Switch



4 GANG WALL SWITCH



Part No	Description
MC142	10AX 4 Gang 2 Way Switch 3x6 Long Plate



6 GANG WALL SWITCH



Part No	Description
MC162	10AX 6 Gang 2 Way Switch 3x6 Long Plate



FAN ISOLATED SWITCH



Part No	Description
MC170	10AX Triple Pole Fan Isolated Switch

PRESS SWITCH



Part No	Description
MC171	10AX 1 Gang Press Switch

KEY SWITCH



Part No	Description
MC173	10AX 1 Gang 2 Way Key Switch

1 GANG DIMMER



Part No	Description
MC175	1 Gang 2 Way 400w Dimmer Switch

2 GANG DIMMER



Part No	Description
MC176	2 Gang 2 Way 400w Dimmer Switch

KEY SWITCH (EMERGENCY)



Part No	Description
MC173/ET	10AX 1 Gang 2 Way Key Switch

EURO MODULE PLATES WITH BACK BOXES



Part No	Description	INNER BOX	OUTER BOX
MC180	1 Gang Euro Plate 1 Modular c/w back box	5	100
MC181	1 Gang Euro Plate 2 Modular c/w back box	5	100
MC182	2 Gang Euro Plate 4 Modular c/w back box	5	50



13A UN-SWITCHED FUSED CONNECTION



MC201



MC202



MC202F

Part No	Description
MC201	13a Fused Connection Unit
MC202	13a Fused Connection Unit c/w Neon
MC202F	13a Fused Connection Unit c/w Neon & Flex Outlet



13A D/P SWITCHED CONNECTION UNITS



MC203



MC203F

Part No	Description
MC203	13a Double Pole Switched Fused Connection Unit
MC203F	13a Double Pole Switched Fused Connection Unit c/w Flex Outlet



13A D/P SWITCHED CONNECTION UNITS WITH NEON



MC204



MC204F

Part No	Description
MC204	13a Double Pole Switched Fused Connection Unit c/w Neon
MC204F	13a Double Pole Switched Fused Connection Unit c/w Neon & Flex



20A D/P SWITCHES



MC301



MC302



MC302F



Part No	Description	INNER BOX	OUTER BOX
MC301	20a Double Pole Switch	5	100
MC302	20a Double Pole Switch c/w Neon	5	100
MC302F	20a Double Pole Switch c/w Neon & Flex Outlet	5	100

45A D/P SWITCHES



MC401



MC402



MC403



Part No	Description	INNER BOX	OUTER BOX
MC401	45a 1 Gang Double Pole Switch c/w Neon	5	100
MC402	45a 2 Gang Tall Double Pole Switch c/w Neon	5	50
MC403	45a Double Pole Switch + 13a Switched Socket c/w Neon	5	50



Wiring Accessories

METAL CLAD COAX/SATT, TEL/DATA & BLANKS

TV/COAX SOCKET



Part No Description

MC185 1 Gang TV/Coaxial Socket Non-

SATELLITE SOCKET



Part No Description

MC187 1 Gang Satellite Socket

TV/SATELLITE SOCKET



Part No Description

MC188 Satellite Socket & TV/Coaxial Socket

UK TELEPHONE SOCKET



Part No Description

MC190 1 Gang Secondary Telephone Socket

ROI RJ11 TELEPHONE SOCKET



Part No Description

MC192 1 Gang Telephone Socket RJ11

RJ45 DATA SOCKET



Part No Description

MC193 1 Gang RJ45 Data Socket, 8

BLANK PLATE WITH BACK BOX



Part No Description

MC601 1 Gang Blank Cover Plate & Back Box

MC602 2 Gang Blank Cover Plate & Back Box

BACK BOX—NO KNOCKOUTS



Part No Description

MC603 1 Gang Blank Back Box - No Knockouts

MC604 2 Gang Blank Back Box - No Knockouts



**PRO
SHIELD**

PROSHIELD... Quality range of weatherproof switches & sockets

High Impact PC Housing
UV Resistance
Multiple 20mm Knockouts
Spacious Design

IP66 13A SWITCHED SOCKETS



Pro-Shield Weatherproof
Switched Socket—IP66 Complies
with BS1363



Part No	Description
PS2-SK1	13a 1 Gang Switched Socket
PS2-SK2	13a 2 Gang Switched Socket



IP66 EMPTY ENCLOSURES



Pro-Shield Weatherproof Enclosures —IP66
Complies with BS1363
Suitable for any 1 Gang and 2 Gang Wiring
Accessories



Part No	Description
PS2-1G/E	1 Gang Empty Enclosure
PS2-2G/E	2 Gang Empty Enclosure
PS2-1G/E/TL	1 Gang Empty Enclosure—Transparent Lid
PS2-2G/E/TL	2 Gang Empty Enclosure—Transparent Lid





PROSHIELD... Quality range of weatherproof switches & sockets

- High Impact PC Housing
- UV Resistance
- Multiple 20mm Knockouts
- Spacious Design

IP66 13A SWITCHED RCD SOCKETS



PS2-SK1R



PS2-SK2R

Pro-Shield Weatherproof Switched Socket complete with RCD—IP66 Complies with BS1363

Part No	Description	 	
PS2-SK1R	13a 1 Gang Switched RCD Socket	1	20
PS2-SK2R	13a 2 Gang Switched RCD Socket	1	20

IP66 RCD SPUR



Pro-Shield Weatherproof Spur—IP66 Complies with BS1363

Part No	Description	 	
PS2-SPUR	13a RCD Spur	1	20

IP66 SPUR



Pro-Shield Weatherproof Spur—IP66 Complies with BS1363

Part No	Description	 	
PS2-Q416	13A Spur Unit	1	20



PRO SHIELD

PROSHIELD... Quality range of weatherproof switches & sockets

High Impact PC Housing
UV Resistance
Multiple 20mm Knockouts
Spacious Design

IP66 10A WALL SWITCHES



Part No	Description
PS1-SW12	1 Gang 2 Way Switch
PS1-SW22	2 Gang 2 Way Switch



IP66 10A PRESS SWITCH



Part No	Description
PS1-SW/PR	1 Gang 2 Way Press Switch



IP56 10AX WALL SWITCHES



Part No	Description
MTA120	1 Gang 2 Way Switch
MTA220	2 Gang 2 Way Switch



IP56 (NOT IN USE) SOCKET



Part No	Description
WPE120	13a 1 Gang Un-Switched Socket



IP56 INSULATED SWITCH/SOCKET ENCLOSURE



Accommodates standard 1 & 2 gang wiring accessories
20mm Knockouts
Corrosion Resistant
Snap Shut Lid
Padlockable

Part No	Description	INNER BOX	OUTER BOX
SKB1G	1 Gang Enclosure	1	45
SKB2G	2 Gang Enclosure	1	30



WHITE RCD SOCKETS



BS7288/CE Approved
Rated Voltage 230v
On/Off Indicator/Test Facility
Mechanically Latching (Socket will not trip in the event of power failure)



Part No	Description	INNER BOX	OUTER BOX
RCD/W/1G	RCD 13a 30mA 1 Gang Switched Socket	1	10
RCD/W/2G	RCD 13a 30mA 2 Gang Switched Socket	1	10

METAL CLAD RCD SOCKETS



BS7288/CE Approved
Rated Voltage 230v
On/Off Indicator/Test Facility
Mechanically Latching (Socket will not trip in the event of power failure)



Part No	Description	INNER BOX	OUTER BOX
RCD/MC/1G	RCD 13a 30mA 1 Gang Switched Socket	1	10
RCD/MC/2G	RCD 13a 30mA 2 Gang Switched Socket	1	10

13A RCD SPUR



Part No	Description
RCDSPUR	13a 30mA Single RCD Spur Unit


13A RCD ADAPTOR



Part No	Description
RCDAPT	13a 30mA RCD Adaptor




DLB351 / DLB471



DLB352 / DLB472



DLBR



DLBD



DLB3521

DRY LINING BOXES

		 INNER BOX	 OUTER BOX
DLB351	35mm 1 Gang Dry Lining Box	10	100
DLB471	47mm 1 Gang Dry Lining Box	10	100
DLB352	35mm 2 Gang Dry Lining Box	10	100
DLB472	47mm 2 Gang Dry Lining Box	5	50
DLBD	35mm Dual Dry Lining Box	10	100
DLBR	35mm Round Dry Lining Box	10	100
DLB3521	35mm 2 gang + 1 gang Dry Lining Box	5	50

TIME CLOCK



Wire Connection
 48 ON/OFF per day
 Load Indicator
 ON/OFF Timing Switch Knob
 Transparent Cover
 1 Gang Socket Box Mount
 16a Resistive
 2A Inductive
 Depth: 15mm min
 Min Setting Time: 15 Mins / Max Setting Time: 24 Hours
 230V~, 50hz, 16A

TC24M IP20 16a 24 Hour Mechanical Time Clock, 1 Gang Socket Box Fit

 INNER BOX
 OUTER BOX

12 48

ESR Wiring Accessories FLUSH STEEL BOXES



**FSB161 / FSB251 /
FSB351 / FSB471**



FSB252 / FSB352 / FSB472



FSB3511



FSB3512



FSB35111

FLUSH STEEL BOXES

		 INNER BOX	 OUTER BOX
FSB161	16mm 1 gang Flush Steel Box	20	200
FSB251	25mm 1 gang Flush Steel Box	10	200
FSB252	25mm 2 gang Flush Steel Box	5	50
FSB351	35mm 1 gang Flush Steel Box	10	200
FSB352	35mm 2 gang Flush Steel Box	5	50
FSB3511	35mm 1 + 1 gang Flush Steel Box	5	50
FSB3512	35mm 1 + 2 gang Flush Steel Box	5	50
FSB35111	35mm 1 + 1 + 1 gang Flush Steel Box	5	50
FSB471	47mm 1 gang Flush Steel Box	10	100
FSB472	47mm 2 gang Flush Steel Box	5	50



FSE161 / FSE251 / FSE351



FSE162 / FSE252 / FSE352

STEEL EXTENSION BOXES


		 INNER BOX	 OUTER BOX
FSE161	16mm 1 gang Flush Steel Extension	20	100
FSE162	16mm 2 gang Flush Steel Extension	10	100
FSE251	25mm 1 gang Flush Steel Extension	10	100
FSE252	25mm 2 gang Flush Steel Extension	5	50
FSE351	35mm 1 gang Flush Steel Extension	10	100
FSE352	35mm 2 gang Flush Steel Extension	5	50

SPLIT LOAD - DUAL RCD 17th EDITION AMENDMENT 3:2015



- 32mm & 25mm knockouts on sides & large radius knockouts on rear
- Flexible Busbar Configuration
- Top Hinge Door
- Generous Internal Space


Code	Dimensions (cm)		
	A	B	C
ME171463	30.5	23.5	11
ME171480	30.5	23.5	11
ME171663	34.1	23.5	11
ME171680	34.1	23.5	11
ME171863	37.7	23.5	11
ME171880	37.7	23.5	11
ME172180	43.1	23.5	11



OUTER BOX

Part No	Description	
ME171463	17th Edition 14 Module 8 Free Ways c/w 2 x 63a 30ma RCD, 1 x 100a D/P Mains Switch & Flexi Busbar	6
ME171480	17th Edition 14 Module 8 Free Ways c/w 2 x 80a 30ma RCD, 1 x 100a D/P Mains Switch & Flexi Busbar	6
ME171663	17th Edition 16 Module 10 Free Ways c/w 2 x 63a 30ma RCD, 1 x 100a D/P Mains Switch & Flexi Busbar	6
ME171680	17th Edition 16 Module 10 Free Ways c/w 2 x 80a 30ma RCD, 1 x 100a D/P Mains Switch & Flexi Busbar	6
ME171863	17th Edition 18 Module 12 Free Ways c/w 2 x 63a 30ma RCD, 1 x 100a D/P Mains Switch & Flexi Busbar	4
ME171880	17th Edition 18 Module 12 Free Ways c/w 2 x 80a 30ma RCD, 1 x 100a D/P Mains Switch & Flexi Busbar	4
ME172180	17th Edition 21 Module 15 Free Ways c/w 2 x 80a 30ma RCD, 1 x 100a D/P Mains Switch & Flexi Busbar	4

SUR402P



Good discharge capacity, suitable for single phase, TN-C, TN-C-S, IT and TT power distribution system
 Adopt energy rich voltage dependent resistor, nanosecond level speed of response
 Capacity of overheated and surge protection
 Visual display on the protector and remote signal terminal
IEC/EN 61643-1



Part No	Description	INNER BOX	OUTER BOX
SUR402P	2P 40KA Surge Arrester	1	50

SUR2MOD




Part No	Description	INNER BOX	OUTER BOX
SUR2MOD	2 Mod Enclosure c/w 2P 40ka SPD	1	16

MAINS SWITCH UNITS 17th EDITION AMENDMENT 3:2015



- 32mm & 25mm knockouts on sides & large radius knockouts on rear
- Flexible Busbar Configuration
- Top Hinge Door
- Generous Internal Space

Code	Dimensions (cm)		
	A	B	C
ME4MS	12.5	23.5	11
ME6MS	16.1	23.5	11
ME8MS	19.7	23.5	11
ME10MS	23.3	23.5	11
ME14MS	30.5	23.5	11
ME16MS	34.1	23.5	11
ME18MS	37.7	23.5	11
ME21MS	43.1	23.5	11




Part No	Description	INNER BOX	OUTER BOX
ME4MS	Mains Switch 4 Module 2 Free Ways c/w 100a D/P Mains Switch & Flexi Busbar	1	12
ME6MS	Mains Switch 6 Module 4 Free Ways c/w 100a D/P Mains Switch & Flexi Busbar	1	6
ME8MS	Mains Switch 8 Module 6 Free Ways c/w 100a D/P Mains Switch & Flexi Busbar	1	6
ME10MS	Mains Switch 10 Module 8 Free Ways c/w 100a D/P Mains Switch & Flexi Busbar	1	6
ME14MS	Mains Switch 14 Module 12 Free Ways c/w 100a D/P Mains Switch & Flexi Busbar	1	6
ME16MS	Mains Switch 16 Module 14 Free Ways c/w 100a D/P Mains Switch & Flexi Busbar	1	6
ME18MS	Mains Switch 18 Module 16 Free Ways c/w 100a D/P Mains Switch & Flexi Busbar	1	4
ME21MS	Mains Switch 21 Module 19 Free Ways c/w 100a D/P Mains Switch & Flexi Busbar	1	4

RCD UNITS 17th EDITION AMENDMENT 3:2015



- 32mm & 25mm knockouts on sides & large radius knockouts on rear
- Flexible Busbar Configuration
- Top Hinge Door
- Generous Internal Space

Code	Dimensions (cm)		
	A	B	C
ME4R	12.5	23.5	11
ME6R	16.1	23.5	11
ME8R	19.7	23.5	11
ME10R	23.3	23.5	11
ME14R	30.5	23.5	11




Part No	Description	INNER BOX	OUTER BOX
ME4R	RCD 4 Module 2 Free Ways c/w 63a 30ma RCD & Flexi Busbar	1	12
ME6R	RCD 6 Module 4 Free Ways c/w 63a 30ma RCD & Flexi Busbar	1	6
ME8R	RCD 8 Module 6 Free Ways c/w 63a 30ma RCD & Flexi Busbar	1	6
ME10R	RCD 10 Module 8 Free Ways c/w 80a 30ma RCD & Flexi Busbar	1	6
ME14R	RCD 14 Module 12 Free Ways c/w 80a 30ma RCD & Flexi Busbar	1	6

GARAGE UNITS AMENDMENT 3:2015



Dimensions (mm)			
A	B	C	D
180	125	90	110

32mm/25mm Knockouts




Part No	Description		
			
MEGU616/63	Garage Unit 4 Module c/w 63a 30ma	1	12
MEGU632/63	Garage Unit 4 Module c/w 63a 30ma RCD, 1 x 6a MCB & 1 x 32a MCB	1	12

SHOWER UNIT AMENDMENT 3:2015



Dimensions (mm)			
A	B	C	D
180	125	90	110

32mm/25mm Knockouts




Part No	Description		
			
MESHO50/63	Shower Unit 3 Module c/w 63a 30ma	1	12

ME4/FSU AND FUSES



- Ideal for the Protection & Isolation of Incoming Supplies
- Single Phase & Switched Neutral
- 35mm² Max Cable Capacity
- BS EN61439-3 Compliant

W 173
H 252
D 108




Part No	Description		
			
ME4/FSU	Metal 63a-100a Fused/Mains Switch Unit - No Fuse	1	16
FUSE/63A	63A Mains Switch Fuse	1	10
FUSE/80A	80A Mains Switch Fuse	1	10
FUSE/100A	100A Mains Switch Fuse	1	10

IP65 GARAGE UNITS



Flame Retardant ABS
Enclosure

Dimensions (mm)		
A	B	C
210	100	140




Part No	Description
EGU616/63	IP65 4 Way Garage Consumer Unit c/w 1 x 6a 6ka MCB, 1 x 16a 6ka MCB & 63a 30ma 2 Mod RCD
EGU632/63	IP65 4 Way Garage Consumer Unit c/w 1 x 6a 6ka MCB, 1 x 32a 6ka MCB & 63a 30ma 2 Mod RCD
EGU616/MS	IP65 4 Way Garage Consumer Unit c/w 1 x 6a 6ka MCB, 1 x 16a 6ka MCB & 100a 2 Mod Mains Switch

IP65 SHOWER UNIT



Flame Retardant ABS
Enclosure

Dimensions (mm)		
A	B	C
180	125	90



Part No	Description
ESHO/40	IP65 Shower Unit c/w 40a 2 Modular RCBO
ESHO50/63	IP65 Shower Unit c/w 50a 6ka MCB & 63a 30ma RCD

FSU80/100



- Non-Combustible Bakelite Material
- Supplied with Cable Shroud
- Supplied with 80A and 100A Fuses
- Max Cable Capacity 35mm²

BS EN 60947-3




Part No	Description
FSU80/100	Fused Switch Unit c/w 80a & 100a Fuse & Cable Cover

4 WAY IP65 MODULAR CONSUMER UNIT



IP65 4 Way empty consumer unit c/w
neutral & earth connections, rating labels &
blank plate
Flame Retardant ABS Enclosure



Dimensions (mm)

A	B	C
210	100	140

Part No	Description	Inner Box	Outer Box
HA4	4 Way Consumer Unit	1	20


8 WAY IP65 MODULAR CONSUMER UNIT



IP65 8 Way empty
consumer unit c/w
neutral & earth
connections, rating
labels & blank plate
Flame Retardant ABS
Enclosure

Dimensions (mm)

A	B	C
210	100	215



Part No	Description	Inner Box	Outer Box
HA8	8 Way Consumer Unit	1	20


12 WAY IP65 MODULAR CONSUMER UNIT



IP65 12 Way empty
consumer unit c/w
neutral & earth
connections, rating
labels & blank plate
Flame Retardant ABS
Enclosure

Dimensions (mm)

A	B	C
260	140	300



Part No	Description	Inner Box	Outer Box
HA12	12 Way Consumer Unit	1	10



Circuit Protection


EMPTY CONSUMER UNITS
& ACCESSORIES

18 WAY IP65 MODULAR CONSUMER UNIT



IP65 18 Way empty
consumer unit c/w
neutral & earth
connections, rating
labels & blank plate

Flame Retardant ABS
Enclosure



Dimensions (mm)		
A	B	C
285	140	410




Part No	Description	Inner Box	Outer Box
HA18	18 Way Consumer Unit	1	5

24 WAY IP65 MODULAR CONSUMER UNIT



IP65 24 Way empty
consumer unit c/w
neutral & earth
connections, rating
labels & blank plate

Flame Retardant
ABS Enclosure



Dimensions (mm)		
A	B	C
415	140	300



Part No	Description	Inner Box	Outer Box
HA24	24 Way Consumer Unit	1	5

ACCESSORIES—BUSBAR—BLANKS & MCB LOCK



Part No	Description
MECUB	Metal Blank



Part No	Description
PLK	MCB Lock Device



Part No	Description
MECUBB10	9 Pin Insulated Bar
MECUBB14	13 Pin Insulated Bar
MECUBB18	17 Pin Insulated Bar



METAL CLAD MODULAR UNITS (IP40) AMMENDMENT 3:2015

- Empty Unit c/w Dinrail



ME2S



ME2



ME4

Dimensions (mm)			
	H	W	D
ME2S	145	80	62
ME2	225	80	62
ME4	225	115	62

Part No	Description	
ME2S	2 Modular Small c/w 20mm Knockouts	24
ME2	2 Modular c/w 20mm Knockouts	16
ME4	4 Modular c/w 32mm/25mm Knockouts	16



OUTER BOX

METAL MODULAR ENCLOSURES



M2



M4

Dimensions (mm)			
	H	W	D
M2	145	80	60
M4	175	110	60

Part No	Description	INNER BOX	OUTER BOX
M2	2 Way Metal Enclosure c/w 20mm Knockouts	1	36
M4	4 Way Metal Enclosure c/w 25/20mm Knockouts	1	24



INNER BOX OUTER BOX

IP20 PLASTIC CONSUMER UNITS



HG2



HG4

Dimensions (mm)			
	H	W	D
HG2	130	45	80
HG4	130	90	80
HG6	155	140	85
HG8	180	180	95

Part No	Description	INNER BOX	OUTER BOX
HG2	2 Way Consumer Unit IP40	1	200
HG4	4 Way Consumer Unit IP40	1	100
HG6	6 Way Consumer Unit IP40	1	50
HG8	8 Way Consumer Unit IP40	1	30



INNER BOX OUTER BOX

RCBO B&C CURVE 1 POLE | BS EN61009-1



Part No	Description
RCBO1-630B	B Curve 6KA Single Pole RCBO - 6a 30ma
RCBO1-1030B	B Curve 6KA Single Pole RCBO - 10a 30ma
RCBO1-1630B	B Curve 6KA Single Pole RCBO - 16a 30ma
RCBO1-2030B	B Curve 6KA Single Pole RCBO - 20a 30ma
RCBO1-3230B	B Curve 6KA Single Pole RCBO - 32a 30ma
RCBO1-4030B	B Curve 6KA Single Pole RCBO - 40a 30ma
RCBO1-630C	C Curve 6KA Single Pole RCBO - 6a 30ma
RCBO1-1630C	C Curve 6KA Single Pole RCBO - 16a 30ma
RCBO1-3230C	C Curve 6KA Single Pole RCBO - 32a 30ma

MINI TYPE AC RCBO B CURVE



Part No	Description
RCBO1M-630B	6a 30ma Mini S/P RCBO
RCBO1M-1030B	10a 30ma Mini S/P RCBO
RCBO1M-1630B	16a 30ma Mini S/P RCBO
RCBO1M-2030B	20a 30ma Mini S/P RCBO
RCBO1M-2530B	25a 30ma Mini S/P RCBO
RCBO1M-3230B	32a 30ma Mini S/P RCBO
RCBO1M-3230B	40a 30ma Mini S/P RCBO

MINI TYPE A RCBO B CURVE



Part No	Description
RCBO1M/A-630B	6a 30ma Type A Mini S/P RCBO
RCBO1M/A-1030B	10a 30ma Type A Mini S/P RCBO
RCBO1M/A-1630B	16a 30ma Type A Mini S/P RCBO
RCBO1M/A-2030B	20a 30ma Type A Mini S/P RCBO
RCBO1M/A-2530B	25a 30ma Type A Mini S/P RCBO
RCBO1M/A-3230B	32a 30ma Type A Mini S/P RCBO

RCCB/RCD 2 POLE TYPE A | BS EN61008-1



Part No	Description	6 INNER BOX	60 OUTER BOX
RCD2/A-1630	Type A 2 Pole RCD - 16a 30ma		
RCD2/A-2530	Type A 2 Pole RCD - 25a 30ma		
RCD2/A-4030	Type A 2 Pole RCD - 40a 30ma		
RCD2/A-6330	Type A 2 Pole RCD - 63a 30ma		
RCD2/A-63100	Type A 2 Pole RCD - 63a 100ma		
RCD2/A-8030	Type A 2 Pole RCD - 80a 30ma		
RCD2/A-80100	Type A 2 Pole RCD - 80a 100ma		

RCCB/RCD 2 POLE | BS EN61008-1



Part No	Description	6 INNER BOX	60 OUTER BOX
RCD2-1630	2 Pole RCD - 16a 30ma		
RCD2-2530	2 Pole RCD - 25a 30ma		
RCD2-4030	2 Pole RCD - 40a 30ma		
RCD2-6330	2 Pole RCD - 63a 30ma		
RCD2-63100	2 Pole RCD - 63a 100ma		
RCD2-8030	2 Pole RCD - 80a 30ma		
RCD2-80100	2 Pole RCD - 80a 100ma		
RCD2-80100T	2 Pole RCD - 80a 100ma Time Delay		

RCCB/RCD 4 POLE | BS EN61008-1



Part No	Description	3 INNER BOX	30 OUTER BOX
RCD4-4030	4 Pole RCD - 40a 30ma		
RCD4-6330	4 Pole RCD - 63a 30ma		
RCD4-63100	4 Pole RCD - 63a 100ma		
RCD4-8030	4 Pole RCD - 80a 30ma		
RCD4-80100	4 Pole RCD - 80a 100ma		
RCD4-80100T	4 Pole RCD - 80a 100ma Time Delay		

RCBO B CURVE 2 POLE | BS EN61009-1



Part No	Description	6 INNER BOX	60 OUTER BOX
RCBO2-630B	B Curve 2 Pole RCBO - 6a 30ma		
RCBO2-1030B	B Curve 2 Pole RCBO - 10a 30ma		
RCBO2-1630B	B Curve 2 Pole RCBO - 16a 30ma		
RCBO2-2030B	B Curve 2 Pole RCBO - 20a 30ma		
RCBO2-2530B	B Curve 2 Pole RCBO - 25a 30ma		
RCBO2-3230B	B Curve 2 Pole RCBO - 32a 30ma		
RCBO2-4030B	B Curve 2 Pole RCBO - 40a 30ma		



Circuit Protection

MCBS, MAINS SWITCH,
BELL TX & CONTACTORS

MCB B & C CURVE 1 POLE 6KA | BS EN60898-1



Part No	Description
B6B1-6	MCB B Curve 6KA Single Pole - 6a
B6B1-10	MCB B Curve 6KA Single Pole - 10a
B6B1-16	MCB B Curve 6KA Single Pole - 16a
B6B1-20	MCB B Curve 6KA Single Pole - 20a
B6B1-25	MCB B Curve 6KA Single Pole - 25a
B6B1-32	MCB B Curve 6KA Single Pole - 32a
B6B1-40	MCB B Curve 6KA Single Pole - 40a
B6B1-50	MCB B Curve 6KA Single Pole - 50a
B6B1-63	MCB B Curve 6KA Single Pole - 63a



Part No	Description
B6C1-6	MCB C Curve 6KA Single Pole - 6a
B6C1-10	MCB C Curve 6KA Single Pole - 10a
B6C1-16	MCB C Curve 6KA Single Pole - 16a
B6C1-20	MCB C Curve 6KA Single Pole - 20a
B6C1-25	MCB C Curve 6KA Single Pole - 25a
B6C1-32	MCB C Curve 6KA Single Pole - 32a
B6C1-40	MCB C Curve 6KA Single Pole - 40a
B6C1-50	MCB C Curve 6KA Single Pole - 50a
B6C1-63	MCB C Curve 6KA Single Pole - 63a



MAINS SWITCH 2 POLE—BS EN60947-3



Part No	Description
MS100-2	2 Pole Mains Switch - 100a



BELL TRANSFORMER



Part No	Description
BT2	Bell Transformer



MODULAR CONTACTORS | BS EN61095



Part No	Description
CNT120-2P	20a 2 Pole 1 Modular N/O Contactor



Part No	Description
CNT225-4P	25a 4 Pole 2 Modular N/O Contactor



Part No	Description
CNT340-4P	40a 4 Pole 3 Modular N/O Contactor
CNT363-4P	63a 4 Pole 3 Modular N/O Contactor




ESR IP65 Rotary Isolators

20A AC MINI COMPACT



- IP65 Surface Mounted
- Padlockable Handle
- Off Position Only for Cover Removal
- 2 Screws Removes Cover
- 20mm Knockouts
- BS EN60947 Compliant

Dimensions (mm)				
A	B	C	D	E
80	100	67	35	60



Part No	Description
E203PS	20a 3 Pole
E204PS	20a 4 Pole




20A-40A MID SIZE ENCLOSURE



- IP65 Surface Mounted
- Padlockable Handle
- Off Position Only for Cover Removal
- 2 Screws Removes Cover
- 20mm Knockouts
- BS EN60947 Compliant

Dimensions (mm)					
A	B	C	D	E	F
100	125	81	35	80	115



Part No	Description
E203P	20a 3 Pole
E204P	20a 4 Pole
E323P	32a 3 Pole
E324P	32a 4 Pole
E403P	40a 3 Pole
E404P	40a 4 Pole




20A-63A AC LARGE ENCLOSURE



- IP65 Surface Mounted
- Padlockable Handle
- Off Position Only for Cover Removal
- 2 Screws Removes Cover
- 25mm Knockouts
- BS EN60947 Compliant

Dimensions (mm)					
A	B	C	D	E	F
115	173	84	35	90	165




Part No	Description
E204P/L	20a 4 Pole
E324P/L	32a 4 Pole
E404P/L	40a 4 Pole
E633P	63a 3 Pole
E634P	63a 4 Pole



80-125A LARGE ENCLOSURE

- IP65 Surface Mounted
- Padlockable Handle
- Off Position Only for Cover Removal
- 4 Screws Removes Cover
- 20-32mm Knockouts
- BS EN60947 Compliant



Dimensions (mm)					
A	B	C	D	E	F
156	237	121	45	142	193



INNER BOX


OUTER BOX



Part No	Description
E804P	80a 4 Pole
E1004P	100a 4 Pole
E1254P	125a 4 Pole

DC ISOLATORS

- 600V & 1000V DC
- Available in 2 or 4 Pole
- Operator Independent Trigger Ratchet Switching
- Knife Edge Self Cleaning Contact Mechanism
- Long Arc Cooling Chambers
- Rating: DC21B-25A
- IEC60947-2 - VDE0660 (1000VDC)
- CE—CB—SAA
- IP65 Surface Mounted
- Padlockable Handle



Dimensions (mm)					
A	B	C	D	E	F
100	125	81	35	80	115



INNER BOX


OUTER BOX




Part No	Description
E204PDC	20a 4 Pole 600V DC
E254PDC	25a 4 Pole 1000V DC

DC ISOLATOR - LARGE ENCLOSURE

- 1000V DC
- Available in 2 or 4 Pole
- Operator Independent Trigger Ratchet Switching
- Knife Edge Self Cleaning Contact Mechanism
- Long Arc Cooling Chambers
- Rating: DC21B-25A
- IEC60947-2 - VDE0660 (1000VDC)
- CE—CB—SAA
- IP65 Surface Mounted
- Padlockable Handle



Dimensions (mm)					
A	B	C	D	E	F
115	173	84	35	90	165



INNER BOX

OUTER BOX




Part No	Description
E254PDC/L	25a 4 Pole 1000V DC

ESR IP65 Lever Isolators & Changeover Switches

LEVER HANDLE ISOLATORS (GREY)



- Dual 25mm Screwed Entries Top & Bottom
- 25mm to 20mm Screwed Reducers Inc
- 2 x 25mm Rear Knockouts
- Padlockable for Security
- Large Terminals accommodate 25mm
- M180 Rating
- Approved to BS EN60947



Part No Description

EL204P 20a 4 Pole IP65 Lever Handle Isolator


EL354P 35a 4 Pole IP65 Lever Handle Isolator

EL634P 63a 4 Pole IP65 Lever Handle Isolator

LEVER HANDLE ISOLATORS (YELLOW)



- Dual 25mm Screwed Entries Top & Bottom
- 25mm to 20mm Screwed Reducers Inc
- 2 x 25mm Rear Knockouts
- Padlockable for Security
- Large Terminals accommodate 25mm
- M180 Rating
- Approved to BS EN60947




Part No Description

EL204P/Y 20a 4 Pole IP65 Lever Handle Isolator, Yellow Cover

EL354P/Y 35a 4 Pole IP65 Lever Handle Isolator, Yellow Cover

EL634P/Y 63a 4 Pole IP65 Lever Handle Isolator, Yellow Cover

IP65 SURFACE MOUNTED CHANGEOVER SWITCH



Dimensions (mm)			
A	B	C	D
155	235	160	37

- Surface Mounting
- IP65
- Base Mounted Switch
- Centre Off Position
- IEC 60947-3
- M20, M25 & M32 Knockouts Top & Bottom
- 35mm max Cable Capacity

Part No Description

SCO63-4P 63a 4 Pole Surface Mounted Changeover Switch

SCO100-4P 100a 4 Pole Surface Mounted Changeover Switch



125A CHANGEOVER SWITCH—SINGLE PHASE



ECO125

- Suitable for Switching Between Mains Power and Standby Generator
- 240v
- 2 Position Switch
- BS EN60974-3

Part No	Description
ECO125	125a 240v Changeover Switch



125A CHANGEOVER SWITCH—IP65 ENCLOSURE



SECO125

- Suitable for Switching Between Mains Power and Standby Generator
- 240v
- 2 Position Switch
- BS EN60974-3

Part No	Description
SECO125	IP65 Enclosure with 125a 240v Changeover Switch



125A CHANGEOVER SWITCH—METAL ENCLOSURE



MECO125

- Suitable for Switching Between Mains Power and Standby Generator
- 240v
- 2 Position Switch
- BS EN60974-3

Part No	Description
MECO125	Metal Enclosure with 125a 240v Changeover Switch



ESR Junction Boxes

- Top Quality Range of PVC Adaptable Junction Boxes
- IP Rating: IP44 - IP56
- Characteristics: Halogen Free

B100



IP56 PVC Junction Box, Plain Sides with Stainless Steel Screws

Part No	Description
B100	100x100x50mm



B120



IP56 PVC Junction Box, Plain Sides with Stainless Steel Screws

Part No	Description
B120	120x80x50mm



B150



IP56 PVC Junction Box, Plain Sides with Stainless Steel Screws

Part No	Description
B150	150x110x70mm



B150/DL



IP56 PVC Junction Box, Plain Sides with Stainless Steel Screws

Part No	Description
B150/DL	150x110x140mm



B190



IP56 PVC Junction Box, Plain Sides with Stainless Steel Screws

Part No	Description
B190	190x140x70mm



B190/DL



IP56 PVC Junction Box, Plain Sides with Stainless Steel Screws

Part No	Description
B190/DL	190x140x140mm



B240

IP56 PVC Junction Box, Plain Sides with Plastic Screws

Part No	Description
B240	240x190x90mm

**B240/DL**

IP56 PVC Junction Box, Plain Sides with Plastic Screws

Part No	Description
B240/DL	240x190x160mm

**B300**

IP56 PVC Junction Box, Plain Sides with Plastic Screws

Part No	Description
B300	300x220x120mm

**B300/DL**

IP56 PVC Junction Box, Plain Sides with Plastic Screws

Part No	Description
B300/DL	300x220x180mm

**B380**

IP56 PVC Junction Box, Plain Sides with Plastic Screws

Part No	Description
B380	380x300x120mm

**B460**

IP56 PVC Junction Box, Plain Sides with Plastic Screws

Part No	Description
B460	460x380x120mm



ESR Junction Boxes

R065



IP44 Circular Junction Box, Push On Lid c/w Grommets

Part No	Description
R065	65x35mm



R080



IP44 Circular Junction Box, Push On Lid c/w Grommets

Part No	Description
R080	80x40mm



SO80



IP44 Junction Box, Push On Lid c/w Grommets

Part No	Description
SO80	80x80x40mm



S100



IP56 Junction Box with Grommets & Stainless Steel Screws

Part No	Description
S100	100x100x150mm



S120



IP56 Junction Box with Grommets & Stainless Steel Screws

Part No	Description
S120	120x80x50mm



S150



IP56 Junction Box with Grommets & Stainless Steel Screws

Part No	Description
S150	150x110x70mm



S190



IP56 Junction Box with Grommets & Stainless Steel Screws

Part No	Description
S190	190x140x70mm



STEEL BACK PLATES



Part No	Description
SP190	190x140mm
SP240	240x190mm
SP300	300x220mm
SP380	380x300mm
SP460	460x380mm





Junction Boxes

B100B BLACK



IP56 PVC Black Junction Box, Plain Sides with Stainless Steel Screws

Part No	Description
B100B	100x100x50mm Black



B100W WHITE



IP56 PVC White Junction Box, Plain Sides with Stainless Steel Screws

Part No	Description
B100W	100x100x50mm White



SO80 BLACK



IP44 Junction Box, Push On Lid c/w Grommets

Part No	Description
SO80B	80x80x40mm Black



R065 BLACK



IP44 Circular Junction Box, Push On Lid c/w Grommets

Part No	Description
R065B	65x35mm Black



R080 BLACK



IP44 Circular Junction Box, Push On Lid c/w Grommets

Part No	Description
R080B	80x40mm Black



SO80 WHITE



IP44 Junction Box, Push On Lid c/w Grommets

Part No	Description
SO80W	80x80x40mm White



R065 WHITE



IP44 Circular Junction Box, Push On Lid c/w Grommets

Part No	Description
R065W	65x35mm White




R080 WHITE



IP44 Circular Junction Box, Push On Lid c/w Grommets

Part No	Description
R080W	80x40mm White



B150/C



IP56 PVC Junction Box with Transparent Lid, Plain Sides with Stainless Steel Screws

Part No	Description
B150/C	150x110x70mm



B190/C



IP56 PVC Junction Box with Transparent Lid, Plain Sides with Stainless Steel Screws

Part No	Description
B190/C	190x140x70mm



B240/C



IP56 PVC Junction Box with Transparent Lid, Plain Sides with Plastic Screws

Part No	Description
B240/C	240x190x90mm



B300/C



IP56 PVC Junction Box with Transparent Lid, Plain Sides with Plastic Screws

Part No	Description
B300/C	300x220x120mm



IP66 RATED JUNCTION BOX



**M20 Threaded
Knockouts**



**Captive Quarter
Turn Screw**



**External Fixing
Bracket Supplied**



**Suitable for 2
Flexible Conduit
Glands per side**



**5 Way Loose
Connector
Supplied**




**Soft Sealing Entry
Membrane**




Part No	Description
E90	90x90x56mm junction box c/w external fixing bracket & 5 way connector, Grey



Part No	Description
E90B	90x90x56mm junction box c/w external fixing bracket & 5 way connector, Black



Part No	Description
E110	110x110x70mm junction box c/w 5 way connector, Grey



Part No	Description
E110B	110x110x70mm junction box c/w 5 way connector, Black

5-30A CABLE CONNECTION BOX



- Rated to 5a-30a
- Reversible Cable Clamps for Wide Range of Cable Sizes
- One Piece Base—Snap Close Lid—Quick Release
- Additional Lid Screw
- IP20 Rated

Part No	Description
CB5-30	5-30a Connection Box



JBC1 & JBC2 C/W CONNECTORS



Part No	Description
JBC1	80x35x40mm c/w Push On Lid & 10a 2 Way Porcelain Connector



Part No	Description
JBC2	65x65x30mm c/w Push On Lid & 15a 5 Way PE Connector

Thermoplastic Junction Boxes, Push On Lid c/w connectors



GALVANISED ADAPTABLE BOXES

Plain Sided



Part No	Description	INNER BOX	OUTER BOX
GP331.5	3 X 3 X 1.5" (75x75x37.5mm)	1	100
GP332	3 X 3 X 2" (75x75x50mm)	1	90
GP441.5	4 X 4 X 1.5" (100x100x37.5mm)	1	75
GP442	4 X 4 X 2" (100x100x50mm)	1	60
GP642	6 X 4 X 2" (150x100x50mm)	1	45
GP661.5	6 X 6 x 1.5" (150x150x37.5mm)	1	40
GP662	6 X 6 X 2" (150x150x50mm)	1	36
GP663	6 X 6 X 3" (150x150x75mm)	1	30
GP993	9 X 9 X 3" (225x225x75mm)	1	16
GP12122	12 X 12 X 2" (300x300x50mm)	1	12
GP12123	12 X 12 X 3" (300x300x75mm)	1	10
GP12124	12 X 12 X 4" (300x300x100mm)	1	10



Complete with Knockouts



Part No	Description	INNER BOX	OUTER BOX
GPK331.5	3 X 3 X 1.5" (75x75x37.5mm)	1	100
GPK332	3 X 3 X 2" (75x75x50mm)	1	90
GPK441.5	4 X 4 X 1.5" (100x100x37.5mm)	1	75
GPK442	4 X 4 X 2" (100x100x50mm)	1	60
GPK642	6 X 4 X 2" (150x100x50mm)	1	45
GPK661.5	6 X 6 x 1.5" (150x150x37.5mm)	1	40
GPK662	6 X 6 X 2" (150x150x50mm)	1	36
GPK663	6 X 6 X 3" (150x150x75mm)	1	30
GPK993	9 X 9 X 3" (225x225x75mm)	1	16
GPK12122	12 X 12 X 2" (300x300x50mm)	1	12
GPK12123	12 X 12 X 3" (300x300x75mm)	1	10
GPK12124	12 X 12 X 4" (300x300x100mm)	1	10





Link & Bakelite Junction Boxes



LB100SP



LB100DP

LINK BOXES



LB100SP	1 x 5 Way 100a Link Box c/w Copper Block, Max 35mm ² cables. Bakelite box	5	100
LB100DP	2 x 5 Way 100a Link Box c/w Copper Block, Max 35mm ² cables. Bakelite box	5	50



JB5462B/JB5462W



JB20458B/JB20458W



JB20480B/JB20480W



JB20686B/JB20686W



JB30390B/JB30390W

BAKELITE CIRCULAR JUNCTION BOXES



JB5462B	5a 4 Terminal Junction Box, 62mm Diameter. Brown	20	200
JB5462W	5a 4 Terminal Junction Box, 62mm Diameter. White	20	200
JB20458B	20a 4 Terminal Junction Box, 58mm Diameter. Brown	20	200
JB20458W	20a 4 Terminal Junction Box, 58mm Diameter. White	20	200
JB20480B	20a 4 Terminal Junction Box, 80mm Diameter. Brown	10	100
JB20480W	20a 4 Terminal Junction Box, 80mm Diameter. White	10	100
JB20686B	20a 6 Terminal Junction Box, 86mm Diameter. Brown	10	100
JB20686W	20a 6 Terminal Junction Box, 86mm Diameter. White	10	100
JB30390B	30a 3 Terminal Junction Box, 90mm Diameter. Brown	10	100
JB30390W	30a 3 Terminal Junction Box, 90mm Diameter. White	10	100

Fastfit

High quality range of fast release, fast fitting industrial plugs & sockets to suit all environments
EN60309-1: 1999+A1:2007

IP44 PLUGS



Part No	Description
P16314	16A 2p+E 100-130v Plug
P32314	32A 2p+E 100-130v Plug



Part No	Description
P16324	16A 2p+E 200-250v Plug
P32324	32A 2p+E 200-250v Plug



Part No	Description
P16444	16A 3p+E 380-415v Plug
P16544	16A 3p+N+E 380-415v Plug
P32444	32A 3p+E 380-415v Plug
P32544	32A 3p+N+E 380-415v Plug

IP44 COUPLERS



Part No	Description
C16314	16A 2p+E 100-130v Coupler
C32314	32A 2p+E 100-130v Coupler



Part No	Description
C16324	16A 2p+E 200-250v Coupler
C32324	32A 2p+E 200-250v Coupler



Part No	Description
C16444	16A 3p+E 380-415v Coupler
C16544	16A 3p+N+E 380-415v Coupler
C32444	32A 3p+E 380-415v Coupler
C32544	32A 3p+N+E 380-415v Coupler

IP44 SURFACE SOCKETS—M25 THREAD



Part No	Description
S16314	16A 2p+E 100-130v Socket
S32314	32A 2p+E 100-130v Socket



Part No	Description
S16324	16A 2p+E 200-250v Socket
S32324	32A 2p+E 200-250v Socket



Part No	Description
S16444	16A 3p+E 380-415v Socket
S16544	16A 3p+N+E 380-415v Socket
S32444	32A 3p+E 380-415v Socket
S32544	32A 3p+N+E 380-415v Socket

IP67 PLUGS



Part No	Description	INNER BOX	OUTER BOX
P16316	16A 2p+E 100-130v Plug	10	60
P32316	32A 2p+E 100-130v Plug	10	60



Part No	Description	INNER BOX	OUTER BOX
P16326	16A 2p+E 200-250v Plug	10	60
P32326	32A 2p+E 200-250v Plug	10	60



Part No	Description	INNER BOX	OUTER BOX
P16446	16A 3p+E 380-415v Plug	10	60
P16546	16A 3p+N+E 380-415v Plug	10	60
P32446	32A 3p+E 380-415v Plug	10	60
P32546	32A 3p+N+E 380-415v Plug	10	60

IP67 COUPLERS



Part No	Description	INNER BOX	OUTER BOX
C16316	16A 2p+E 100-130v Coupler	10	60
C32316	32A 2p+E 100-130v Coupler	10	60



Part No	Description	INNER BOX	OUTER BOX
C16326	16A 2p+E 200-250v Coupler	10	60
C32326	32A 2p+E 200-250v Coupler	10	60



Part No	Description	INNER BOX	OUTER BOX
C16446	16A 3p+E 380-415v Coupler	10	60
C16546	16A 3p+N+E 380-415v Coupler	10	60
C32446	32A 3p+E 380-415v Coupler	10	60
C32546	32A 3p+N+E 380-415v Coupler	10	60

IP67 SURFACE SOCKETS—M25 THREAD



Part No	Description	INNER BOX	OUTER BOX
S16316	16A 2p+E 100-130v Socket	10	60
S32316	32A 2p+E 100-130v Socket	10	60



Part No	Description	INNER BOX	OUTER BOX
S16326	16A 2p+E 200-250v Socket	10	60
S32326	32A 2p+E 200-250v Socket	10	60



Part No	Description	INNER BOX	OUTER BOX
S16446	16A 3p+E 380-415v Socket	10	60
S16546	16A 3p+N+E 380-415v Socket	10	60
S32446	32A 3p+E 380-415v Socket	10	60
S32546	32A 3p+N+E 380-415v Socket	10	60

IP44 PLUGS



Part No	Description
EP16314	16A 2p+E 100-130v Plug
EP32314	32A 2p+E 100-130v Plug



Part No	Description
EP16324	16A 2p+E 200-250v Plug
EP32324	32A 2p+E 200-250v Plug



Part No	Description
EP16444	16A 3p+E 380-415v Plug
EP16544	16A 3p+N+E 380-415v Plug
EP32444	32A 3p+E 380-415v Plug
EP32544	32A 3p+N+E 380-415v Plug

IP44 COUPLERS



Part No	Description
EC16314	16A 2p+E 100-130v Coupler
EC32314	32A 2p+E 100-130v Coupler



Part No	Description
EC16324	16A 2p+E 200-250v Coupler
EC32324	32A 2p+E 200-250v Coupler



Part No	Description
EC16444	16A 3p+E 380-415v Coupler
EC16544	16A 3p+N+E 380-415v Coupler
EC32444	32A 3p+E 380-415v Coupler
EC32544	32A 3p+N+E 380-415v Coupler

IP44 SURFACE SOCKET

16a Socket = M20 Thread, 32a Sockets = M25 Thread



Part No	Description
ES16314	16A 2p+E 100-130v Socket
ES32314	32A 2p+E 100-130v Socket



Part No	Description
ES16324	16A 2p+E 200-250v Socket
ES32324	32A 2p+E 200-250v Socket



Part No	Description
ES16444	16A 3p+E 380-415v Socket
ES16544	16A 3p+N+E 380-415v Socket
ES32444	32A 3p+E 380-415v Socket
ES32544	32A 3p+N+E 380-415v Socket

IP44 APPLIANCE INLET SOCKETS



Part No	Description	INNER BOX	OUTER BOX
EAS16314	16A 2p+E 100-130v	10	60
EAS32314	32A 2p+E 100-130v	10	60



Part No	Description	INNER BOX	OUTER BOX
EAS16324	16A 2p+E 200-250v	10	60
EAS32324	32A 2p+E 200-250v	10	60



Part No	Description	INNER BOX	OUTER BOX
EAS16444	16A 3p+E 380-415v	10	60
EAS16544	16A 3p+N+E 380-415v	10	60
EAS32444	32A 3p+E 380-415v	10	60
EAS32544	32A 3p+N+E 380-415v	10	60

IP44 STRAIGHT PANEL SOCKETS



Part No	Description	INNER BOX	OUTER BOX
EPS16314	16A 2p+E 100-130v	10	60
EPS32314	32A 2p+E 100-130v	10	60



Part No	Description	INNER BOX	OUTER BOX
EPS16324	16A 2p+E 200-250v	10	60
EPS32324	32A 2p+E 200-250v	10	60



Part No	Description	INNER BOX	OUTER BOX
EPS16444	16A 3p+E 380-415v	10	60
EPS16544	16A 3p+N+E 380-415v	10	60
EPS32444	32A 3p+E 380-415v	10	60
EPS32544	32A 3p+N+E 380-415v	10	60

IP44 ANGLED PANEL SOCKETS



Part No	Description	INNER BOX	OUTER BOX
EAPS16314	16A 2p+E 100-130v	10	60
EAPS32314	32A 2p+E 100-130v	10	60



Part No	Description	INNER BOX	OUTER BOX
EAPS16324	16A 2p+E 200-250v	10	60
EAPS32324	32A 2p+E 200-250v	10	60



Part No	Description	INNER BOX	OUTER BOX
EAPS16444	16A 3p+E 380-415v	10	60
EAPS16544	16A 3p+N+E 380-415v	10	60
EAPS32444	32A 3p+E 380-415v	10	60
EAPS32544	32A 3p+N+E 380-415v	10	60

IP67 APPLIANCE INLET SOCKETS



Part No	Description	INNER BOX	OUTER BOX
EAS16316	16A 2p+E 100-130v	10	60
EAS32316	32A 2p+E 100-130v	10	60



Part No	Description	INNER BOX	OUTER BOX
EAS16326	16A 2p+E 200-250v	10	60
EAS32326	32A 2p+E 200-250v	10	60



Part No	Description	INNER BOX	OUTER BOX
EAS16446	16A 3p+E 380-415v	10	60
EAS16546	16A 3p+N+E 380-415v	10	60
EAS32446	32A 3p+E 380-415v	10	60
EAS32546	32A 3p+N+E 380-415v	10	60

IP67 STRAIGHT PANEL SOCKETS



Part No	Description	INNER BOX	OUTER BOX
EPS16316	16A 2p+E 100-130v	10	60
EPS32316	32A 2p+E 100-130v	10	60



Part No	Description	INNER BOX	OUTER BOX
EPS16326	16A 2p+E 200-250v	10	60
EPS32326	32A 2p+E 200-250v	10	60



Part No	Description	INNER BOX	OUTER BOX
EPS16446	16A 3p+E 380-415v	10	60
EPS16546	16A 3p+N+E 380-415v	10	60
EPS32446	32A 3p+E 380-415v	10	60
EPS32546	32A 3p+N+E 380-415v	10	60

IP67 ANGLED PANEL SOCKETS



Part No	Description	INNER BOX	OUTER BOX
EAPS16316	16A 2p+E 100-130v	10	60
EAPS32316	32A 2p+E 100-130v	10	60



Part No	Description	INNER BOX	OUTER BOX
EAPS16326	16A 2p+E 200-250v	10	60
EAPS32326	32A 2p+E 200-250v	10	60



Part No	Description	INNER BOX	OUTER BOX
EAPS16446	16A 3p+E 380-415v	10	60
EAPS16546	16A 3p+N+E 380-415v	10	60
EAPS32446	32A 3p+E 380-415v	10	60
EAPS32546	32A 3p+N+E 380-415v	10	60

IP44 SPLITTERS



Part No	Description
SP216314	16a 2p+e 2 way 110v
SP216324	16a 2p+e 2 way 240v

Part No	Description
SP316314	16a 2p+e 3 way 110v
SP316324	16a 2p+e 3 way 240v

IP67 SPLITTERS



Part No	Description
SP316316	16a 2p+e 3 way 110v
SP316326	16a 2p+e 3 way 240v

16A—13A CONVERTOR SOCKET



- Ideal for:
- Mobile Generator
 - Caravan
 - Camping
 - Motor Homes
 - Many more

Converts 16a 2P+E Industrial Socket
to 13a 3 Pin Socket

Part No	Description
16/13	16a to 13a Convertor Socket



63A IP67

BSEN60309

63A PLUG—200-250V



Part No	Description	INNER BOX	OUTER BOX
EP63326	63a 2p+e 200-250v Plug	2	10

63A PLUGS—380-415V



Part No	Description	INNER BOX	OUTER BOX
EP63446	63a 3P+E 380-415v Plug	2	10
EP63546	63a 3P+N+E 380-415v Plug		

63A COUPLER—200-250V



Part No	Description	INNER BOX	OUTER BOX
EC63326	63a 2p+e 200-250v Coupler	2	10

63A COUPLERS—380-415V



Part No	Description	INNER BOX	OUTER BOX
EC63446	63a 3P+E 380-415v Coupler	2	10
EC63546	63a 3P+N+E 380-415v Coupler		

63A IP67

BSEN60309

63A SOCKET—200-250V



Part No	Description	INNER BOX	OUTER BOX
ES63326	63a 2p-e 200-250v Socket	2	10

63A SOCKETS—380-415V



Part No	Description	INNER BOX	OUTER BOX
ES63446	63a 3P+E 380-415v Socket	2	10
ES63546	63a 3P+N+E 380-415v Socket	2	10

63A APPLIANCE INLET—200-250V



Part No	Description	INNER BOX	OUTER BOX
EAS63326	63a 2p-e 200-250v Inlet	2	10

63A APPLIANCE INLETS—380-415V



Part No	Description	INNER BOX	OUTER BOX
EAS63446	63a 3P+E 380-415v Inlet	2	10
EAS63546	63a 3P+N+E 380-415v Inlet	2	10

125A IP67

BSEN60309

125A PLUG—200-250V



Part No	Description	INNER BOX	OUTER BOX
EP125326	125a 2p+e 200-250v Plug	2	10

125A PLUGS—380-415V



Part No	Description	INNER BOX	OUTER BOX
EP125446	125a 3P+E 380-415v Plug	2	10
EP125546	125a 3P+N+E 380-415v Plug	2	10

125A COUPLER—200-250V



Part No	Description	INNER BOX	OUTER BOX
EC125326	125a 2p+e 200-250v Coupler	2	10

125A COUPLERS—380-415V



Part No	Description	INNER BOX	OUTER BOX
EC125446	125a 3P+E 380-415v Coupler	2	10
EC125546	125a 3P+N+E 380-415v Coupler	2	10



125A IP67

BSEN60309

125A SOCKET—200-250V



Part No	Description	 2 INNER BOX	 10 OUTER BOX
ES125326	125a 2p+e 200-250v Socket		

125A SOCKETS—380-415V



Part No	Description	 2 INNER BOX	 10 OUTER BOX
ES125446	125a 3P+E 380-415v Socket		
ES125546	125a 3P+N+E 380-415v Socket		

125A APPLIANCE INLET—200-250V



Part No	Description	 2 INNER BOX	 10 OUTER BOX
EAS125326	125a 2p+e 200-250v Inlet		

125A APPLIANCE INLETS—380-415V




Part No	Description	 2 INNER BOX	 10 OUTER BOX
EAS125446	125a 3P+E 380-415v Inlet		
EAS125546	125a 3P+N+E 380-415v Inlet		



Top Quality range of switched interlock sockets manufactured to BS EN60309 1 & 2

16A & 32A IP44 SWITCHED INTERLOCK SOCKETS (100-130V)




Dimensions (mm)		
A	B	C
167	120	75



100-130v Switched Interlock Socket 4H

Part No	Description
SI16314	16A 2p+E 100-130v
SI32314	32A 2p+E 100-130v

16A & 32A IP44 SWITCHED INTERLOCK SOCKETS (200-250V)




Dimensions (mm)		
A	B	C
167	120	75



200-250v Switched Interlock Socket 6H

Part No	Description
SI16324	16A 2p+E 200-250v
SI32324	32A 2p+E 200-250v

16A & 32A IP44 SWITCHED INTERLOCK SOCKETS (380-415V)




Dimensions (mm)		
A	B	C
167	120	75



380-415v Switched Interlock Socket 6H

Part No	Description
SI16444	16A 3p+E 380-415v
SI16544	16A 3p+N+E 380-415v
SI32444	32A 3p+E 380-415v
SI32544	32A 3p+N+E 380-415v

16A & 32A IP67 SWITCHED INTERLOCK SOCKETS (200-250v)




Dimensions (mm)		
A	B	C
119	248	105

200-250v Switched Interlock Socket 6H

Part No	Description	1	12
SI16326	16A 2p+E 200-250v	INNER BOX	OUTER BOX
SI32326	32A 2p+E 200-250v		

16A & 32A IP67 SWITCHED INTERLOCK SOCKETS (380-415v)




Dimensions (mm)		
A	B	C
119	248	105

380-415v Switched Interlock Socket 6H

No	Description	1	12
SI16446	16A 3p+E 380-415v	INNER BOX	OUTER BOX
SI16546	16A 3p+N+E 380-415v		
SI32446	32A 3p+E 380-415v		
SI32546	32A 3p+N+E 380-415v		

63A IP67 SWITCHED INTERLOCK SOCKETS



Dimensions (mm)		
A	B	C
203	467	162.5


200-250v Switched Interlock Socket 6H
4 Mod Dinrail Facility

Part No	Description	1	8
SI63326	63a 2P+E 200-250v	INNER BOX	OUTER BOX

380-415v Switched Interlock Socket 6H
4 Mod Dinrail Facility

Part No	Description	1	8
SI63446	63A 2p+E 380-415v	INNER BOX	OUTER BOX
SI63546	63A 2p+N+E 380-415v		


IP44 16A & 32A 110V RCD INTERLOCK SOCKET



Dimensions (mm)				
A	B	C	D	E
253	163	100	253	110

Part No	Description	1 INNER BOX	12 OUTER BOX
RCDSI16314	16A 2p+E 100-130v		
RCDSI32314	32A 2p+E 100-130v		


IP44 16A & 32A 240V RCD INTERLOCK SOCKET



Dimensions (mm)				
A	B	C	D	E
253	163	100	253	110

Part No	Description	1 INNER BOX	12 OUTER BOX
RCDSI16324	16A 2p+E 200-250v		
RCDSI32324	32A 2p+E 200-250v		


IP44 16A & 32A 415V RCD INTERLOCK SOCKET



Dimensions (mm)				
A	B	C	D	E
253	163	100	253	110

Part No	Description	1 INNER BOX	12 OUTER BOX
RCDSI16444	16A 3p+E 380-415v		
RCDSI16544	16A 3p+N+E 380-415v		
RCDSI32444	32A 3p+E 380-415v		
RCDSI32544	32A 3p+N+E 380-415v		

IP67 16A & 32A DISTRIBUTION BOX




Code	Dimensions (cm)			
	A	B	C	D
DB16546	250	150	100	165
DB32546	250	150	100	175

4 Module Facility
IP67 Rated



Part No	Description
DB16546	16a 3P+N+E
DB32546	32a 3P+N+E

IP67 63A DISTRIBUTION BOX




Code	Dimensions (cm)			
	A	B	C	D
DB63546	250	150	100	200

6 Module Facility
IP67 Rated



Part No	Description
DB63546	63a 3P+N+E

IP67 125A DISTRIBUTION BOX



Code	Dimensions (cm)			
	A	B	C	D
DB125546	340	220	150	250

6 Module Facility
IP67 Rated



Part No	Description
DB125546	125a 3P+N+E

ESR Steel/Malleable Conduit Accessories

TERMINAL BOXES



Part No	Description	INNER BOX	OUTER BOX
MB201	20mm	10	100
MB251	25mm	10	100

THROUGH BOXES



Part No	Description	INNER BOX	OUTER BOX
MB202	20mm	10	100
MB252	25mm	10	100

ANGLE BOXES



Part No	Description	INNER BOX	OUTER BOX
MB202A	20mm	10	100
MB252A	25mm	10	100

TEE BOXES



Part No	Description	INNER BOX	OUTER BOX
MB203	20mm	10	100
MB253	25mm	10	100

INTERSECTION BOXES



Part No	Description	INNER BOX	OUTER BOX
MB204	20mm	10	100
MB254	25mm	10	100

BACK OUTLET BOXES



Part No	Description	INNER BOX	OUTER BOX
MB20	20mm	10	100

U BOXES



Part No	Description	INNER BOX	OUTER BOX
MB20U	20mm	10	100
MB25U	25mm	10	100

Y BOXES



Part No	Description	INNER BOX	OUTER BOX
MB20Y	20mm	10	100
MB25Y	25mm	10	100

H BOXES



Part No	Description	INNER BOX	OUTER BOX
MB20H	20mm	10	100
MB25H	25mm	10	100

LOOP IN BOXES



Part No	Description	INNER BOX	OUTER BOX
GLB1	20mm 1 Hole	10	200
GLB4	25mm 4 Hole	10	200

EXTENSION RINGS



Part No	Description	INNER BOX	OUTER BOX
GER10	10mm	50	700
GER13	13mm	50	500
GER16	16mm	50	450
GER20	20mm	20	360
GER25	25mm	20	280
GER32	32mm	20	240
GER40	40mm	20	180
GER50	50mm	20	140

STEEL LIDS & RUBBER GASKETS



Part No	Description	INNER BOX	OUTER BOX
GLPCF	Light Steel Cover Flat Galv	100	1000
CRG	20mm Circular Box Gaskets	100	5000



Steel/Malleable Conduit Accessories

INSPECTION BENDS



Part No	Description	INNER BOX	OUTER BOX
IB20	20mm	25	125
IB25	25mm	25	125

INSPECTION ELBOWS



Part No	Description	INNER BOX	OUTER BOX
IE20	20mm	25	125
IE25	25mm	25	125

INSPECTION TEES



Part No	Description	INNER BOX	OUTER BOX
IT20	20mm	25	125
IT25	25mm	25	125

NORMAL BENDS



Part No	Description	INNER BOX	OUTER BOX
NB20	20mm	10	200
NB25	25mm	10	100

SOLID ELBOWS



Part No	Description	INNER BOX	OUTER BOX
SE20	20mm	25	125
SE25	25mm	20	100

SCREWED NIPPLES



Part No	Description	INNER BOX	OUTER BOX
SN20	20mm	100	1000
SN25	25mm	50	500

FLANGED COUPLERS



Part No	Description	INNER BOX	OUTER BOX
FC20	20mm	25	300
FC25	25mm	25	200

SOLID COUPLERS



Part No	Description	INNER BOX	OUTER BOX
SC20	20mm	100	1000
SC25	25mm	50	500
SC32	32mm	50	500
SC/15	1.5"	30	500
SC/2	2"	20	200

DISTANCE SADDLES



Part No	Description	INNER BOX	OUTER BOX
DS20	20mm	50	250
DS25	25mm	50	250
DS32	32mm	50	250

SPACE BAR SADDLES



Part No	Description	INNER BOX	OUTER BOX
GSBS20	20mm	100	1000
GSBS25	25mm	100	1000

SPACE BAR SADDLES (WHITE)



Part No	Description	INNER BOX	OUTER BOX
GSBS20W	20mm	100	1000
GSBS25W	25mm	100	1000

PLAIN SADDLES



Part No	Description	INNER BOX	OUTER BOX
GPS20	20mm	100	2000
GPS25	25mm	100	2000

ESR Steel/Malleable Conduit Accessories

MILLED EDGE LOCKRING

Part No	Description	INNER BOX	OUTER BOX
PME20	20mm	100	3000
PME25	25mm	100	2000
PME32	32mm	100	1500
PME4	1.5"	100	600
PME5	2"	50	500



MALE BUSH SHORT

Part No	Description	INNER BOX	OUTER BOX
MBBS20	20mm	100	3000
MBBS25	25mm	100	2000
MBBS32	32mm	50	1000
MBBS4	1.5"	50	500
MBBS5	2"	25	200



HEX LOCKNUTS LP

Part No	Description	INNER BOX	OUTER BOX
GLN20	20mm	100	3000
GLN25	25mm	100	2000
GLN32	32mm	100	1500
GLN4	1.5"	100	600
GLN5	2"	50	600



MALE BUSH LONG

Part No	Description	INNER BOX	OUTER BOX
MBBL20	20mm	100	2000
MBBL25	25mm	100	1000
MBBL32	32mm	50	500
MBBL4	1.5"	20	400
MBBL5	2"	10	200



FLAT CRAMPET

Part No	Description	INNER BOX	OUTER BOX
GFCR20	20mm	100	2000
GFCR25	25mm	100	1500



REDUCERS BZP

Part No	Description	INNER BOX	OUTER BOX
GR2520	25-20mm	50	800
GR3220	32-20mm	25	250
GR3225	32-25mm	25	200



FEMALE BUSH

Part No	Description	INNER BOX	OUTER BOX
FBF20	20mm	100	3000
FBF25	25mm	100	2500
FBF32	32mm	100	2000
FBF4	1.5"	100	1000
FBF5	2"	25	500



TRS GLANDS

Part No	Description	INNER BOX	OUTER BOX
TRS20	20mm	100	1000
TRS25	25mm	50	500



STEEL DOME COVERS

Part No	Description	INNER BOX	OUTER BOX
GDC20	20mm	25	400
GDC25	25mm	25	400



BALL & SOCKET COVER

Part No	Description	INNER BOX	OUTER BOX
BSC20	20mm	20	2000



HOOPLATES

Part No	Description	INNER BOX	OUTER BOX
GHP	Hookplates Steel	25	300



MALE HOOK

Part No	Description	INNER BOX	OUTER BOX
MH20	20mm	50	250



HEX PLUGS BZP

Part No	Description	INNER BOX	OUTER BOX
GHP20	20mm	50	800
GHP25	25mm	25	400



BRASS SLOTTED PLUS

Part No	Description	INNER BOX	OUTER BOX
BSP20	20mm	100	2000
BSP25	25mm	100	1000



EARTH COUPLERS

Part No	Description	INNER BOX	OUTER BOX
EC20	20mm	10	100
EC25	25mm	10	100





Earth Products, Jack Chain & BW/CW Gland Packs

EARTH RODS



Part No	Description	INNER BOX	OUTER BOX
NR384E	4ft x 3/8" Copper Bond Earth Rod	10	30
NR584E	4ft x 5/8" Extendable Copper Bond Earth Rod	5	25



COUPLER



Part No	Description	INNER BOX	OUTER BOX
RC58E	5/8" Earth Rod Coupler	25	250



MACHINE CLAMP



Part No	Description	INNER BOX	OUTER BOX
NRC384E	3/8" Machined	25	250



CAST CLAMP



Part No	Description	INNER BOX	OUTER BOX
NC58E	3/8" Cast Clamp	25	250



DRIVING STUD



Part No	Description	INNER BOX	OUTER BOX
DS58	5/8" Driving Stud	25	250



JACK CHAIN



Part No	Description	INNER BOX	OUTER BOX
JC8G	No 8—10mts per box	1	6
JC10G	No 10—10mts per box	1	6



EARTH BLOCK



Part No	Description	INNER BOX	OUTER BOX
EB4W	4 Way Earth Block	20	300
EB8W	8 Way Earth Block	20	300



BW BRASS GLAND KITS



Part No	Description	INNER BOX	OUTER BOX
SBW20	20mm	30	150
BW20	20mm	25	125
BW25	25mm	15	75
BW32	32mm	10	50
BW40	40mm	10	50
BW50	50mm	5	25
BW63	63mm	5	25
BW75	75mm	2	10



CW BRASS GLAND KITS



Part No	Description	INNER BOX	OUTER BOX
SCW20	20mm	20	100
CW20	20mm	15	75
CW25	25mm	10	50
CW32	32mm	8	40
CW40	40mm	5	25
CW50	50mm	5	25
CW63	63mm	2	10
CW75	75mm	2	10



ESR PVC Round Conduit Accessories—White

TERMINAL BOXES




Part No	Description	INNER BOX	OUTER BOX
PB201W	20mm	20	200
PB251W	25mm	20	200

THROUGH BOXES



Part No	Description	INNER BOX	OUTER BOX
PB202W	20mm	20	200
PB252W	25mm	20	200

ANGLE BOXES



Part No	Description	INNER BOX	OUTER BOX
PB202AW	20mm	20	200
PB252AW	25mm	20	200

TEE BOXES



Part No	Description	INNER BOX	OUTER BOX
PB203W	20mm	20	200
PB253W	25mm	20	200

INTERSECTION BOXES



Part No	Description	INNER BOX	OUTER BOX
PB204W	20mm	20	200
PB254W	25mm	20	200

U BOXES



Part No	Description	INNER BOX	OUTER BOX
PB20UW	20mm	20	200
PB25UW	25mm	20	200

Y BOXES



Part No	Description	INNER BOX	OUTER BOX
PB20YW	20mm	20	200
PB25YW	25mm	20	200

H BOXES



Part No	Description	INNER BOX	OUTER BOX
PB20HW	20mm	20	200
PB25HW	25mm	20	200

LOOP IN BOXES



Part No	Description	INNER BOX	OUTER BOX
PLIB20W	20mm	20	200
PLIB25W	25mm	20	200

EXTENSION RING



Part No	Description	INNER BOX	OUTER BOX
XTR20W	20mm	20	200

CIRCULAR LID



Part No	Description	INNER BOX	OUTER BOX
PLIDW	66mm	100	1000

RUBBER GASKET



Part No	Description	INNER BOX	OUTER BOX
CRG	66mm	100	5000



PVC Round Conduit Accessories—White

SPACER BAR SADDLES



Part No	Description	INNER BOX	OUTER BOX
PSBS20W	20mm	100	1000
PSBS25W	25mm	100	1000

STRAP SADDLES



Part No	Description	INNER BOX	OUTER BOX
PPS20W	20mm	100	1000
PPS25W	25mm	100	1000

HEAVY GAUGE COUPLERS



Part No	Description	INNER BOX	OUTER BOX
PC20W	20mm	100	1000
PC25W	25mm	100	1000

MALE ADAPTORS



Part No	Description	INNER BOX	OUTER BOX
PMA20W	20mm	100	1000
PMA25W	25mm	100	1000

FEMALE ADAPTORS



Part No	Description	INNER BOX	OUTER BOX
PFA20W	20mm	100	1000
PFA25W	25mm	100	1000

CIRCULAR SPRING CLIPS



Part No	Description	INNER BOX	OUTER BOX
PSC20W	20mm	100	1000
PSC25W	25mm	100	1000

INSPECTION BENDS



Part No	Description	INNER BOX	OUTER BOX
PIB20W	20mm	20	200
PIB25W	25mm	20	200

INSPECTION ELBOW



Part No	Description	INNER BOX	OUTER BOX
PIE20W	20mm	20	200
PIE25W	25mm	20	200

INSPECTION TEE



Part No	Description	INNER BOX	OUTER BOX
PIT20W	20mm	20	200
PIT25W	25mm	20	200

NORMAL BENDS - SLIP TYPE



Part No	Description	INNER BOX	OUTER BOX
PNB20W	20mm	20	200
PNB25W	25mm	20	200

WRAP PIPE CLIP



Part No	Description	INNER BOX	OUTER BOX
WPC20	20mm	150	1500
WPC25	25mm	100	1000

ESR PVC Round Conduit Accessories—Black

TERMINAL BOXES



Part No	Description	INNER BOX	OUTER BOX
PB201B	20mm	20	200
PB251B	25mm	20	200

THROUGH BOXES



Part No	Description	INNER BOX	OUTER BOX
PB202B	20mm	20	200
PB252B	25mm	20	200

ANGLE BOXES



Part No	Description	INNER BOX	OUTER BOX
PB202AB	20mm	20	200
PB252AB	25mm	20	200

TEE BOXES



Part No	Description	INNER BOX	OUTER BOX
PB203B	20mm	20	200
PB253B	25mm	20	200

INTERSECTION BOXES



Part No	Description	INNER BOX	OUTER BOX
PB204B	20mm	20	200
PB254B	25mm	20	200

U BOXES



Part No	Description	INNER BOX	OUTER BOX
PB20UB	20mm	20	200
PB25UB	25mm	20	200

Y BOXES



Part No	Description	INNER BOX	OUTER BOX
PB20YB	20mm	20	200
PB25YB	25mm	20	200

CIRCULAR LID



Part No	Description	INNER BOX	OUTER BOX
PLIDB	66mm	100	1000

LOOP IN BOXES



Part No	Description	INNER BOX	OUTER BOX
PLIB20B	20mm	20	200
PLIB25B	25mm	20	200

INSPECTION BENDS



Part No	Description	INNER BOX	OUTER BOX
PIB20B	20mm	20	200
PIB25B	25mm	20	200

INSPECTION ELBOW



Part No	Description	INNER BOX	OUTER BOX
PIE20B	20mm	20	200
PIE25B	25mm	20	200

INSPECTION TEE



Part No	Description	INNER BOX	OUTER BOX
PIT20B	20mm	20	200
PIT25B	25mm	20	200



PVC Round Conduit Accessories—Black & PVC Surface Boxes

SPACER BAR SADDLES



Part No	Description	INNER BOX	OUTER BOX
PSBS20B	20mm	100	1000
PSBS25B	25mm	100	1000

STRAP SADDLES



Part No	Description	INNER BOX	OUTER BOX
PPS20B	20mm	100	1000
PPS25B	25mm	100	1000

HEAVY GAUGE COUPLERS



Part No	Description	INNER BOX	OUTER BOX
PC20B	20mm	100	1000
PC25B	25mm	100	1000

MALE ADAPTORS



Part No	Description	INNER BOX	OUTER BOX
PMA20B	20mm	100	1000
PMA25B	25mm	100	1000

FEMALE ADAPTORS



Part No	Description	INNER BOX	OUTER BOX
PFA20B	20mm	100	1000
PFA25B	25mm	100	1000

CIRCULAR SPRING CLIPS



Part No	Description	INNER BOX	OUTER BOX
PSC20B	20mm	100	1000
PSC25B	25mm	100	1000

NORMAL BENDS (SLIP TYPE)



Part No	Description	INNER BOX	OUTER BOX
PNB20B	20mm	20	200
PNB25B	25mm	20	200



SB1GSB



SB2GSB



SB1GSW



SB2GSW



SB1GRW



SB2GRW

Part No	Description	INNER BOX	OUTER BOX
SB1GSB	1 Gang PVC Surface Box, 20mm & Mini Trunk K/O, Square Black	10	100
SB2GSB	2 Gang PVC Surface Box, 20mm & Mini Trunk K/O. Round Black	10	100
SB1GSW	1 Gang PVC Surface Box, 20mm & Mini Trunk K/O, Square White	10	100
SB2GSW	2 Gang PVC Surface Box, 20mm & Mini Trunk K/O. Round White	10	100
SB1GRW	1 Gang PVC Surface Box, 20mm & Mini Trunk K/O, Round White	10	100
SB2GRW	2 Gang PVC Surface Box, 20mm & Mini Trunk K/O. Round White	10	100

ESR IP68 Glands & Grommets

IP68 COMPRESSION GLANDS

- All Gland c/w Lock Nut & Fibre Washer
- Manufactured from Nylon Material

M12



M12 3-6.5mm IP68 GLANDS

Part No	Description
M1236.5BK	Black
M1236.5G	Grey

M16



M16 4-8mm IP68 GLANDS

Part No	Description
M1648BK	Black
M1648G	Grey
M1648W	White
M1648R	Red

M20



M20 6-12mm IP68 GLANDS

Part No	Description
M20612BK	Black
M20612G	Grey
M20612W	White
M20612R	Red

M20 LARGE



M20 10-14mm IP68 GLANDS

Part No	Description
M20L1014BK	Black
M20L1014G	Grey
M20L1014W	White
M20L1014R	Red

M25



M25 12-15mm IP68 GLANDS

Part No	Description
M251215BK	Black
M251215G	Grey
M251215W	White
M251215R	Red

M32



M32 14-21mm IP68 GLANDS

Part No	Description
M321421BK	Black
M321421G	Grey
M321421W	White
M321421R	Red

M40



M40 22-32mm IP68 GLANDS

Part No	Description
M402232BK	Black
M402232G	Grey

M50



M50 32-38mm IP68 GLANDS

Part No	Description
M503238BK	Black
M503238G	Grey

M63



M63 37-44mm IP68 GLANDS

Part No	Description
M633744BK	Black
M633744G	Grey

PG9



PG9 4-8mm IP68 GLAND

Part No	Description
PG948BK	Black
PG948G	Grey

PG13.5



PG13.5 6-12mm IP68 GLAND

Part No	Description
PG13.5612BK	Black
PG13.5612G	Grey

PG21



PG21 13-18mm IP68

Part No	Description
PG211318BK	Black
PG211318G	Grey

OPEN GROMMETS



Part No	Description	INNER BOX	OUTER BOX
GO20	20mm	100	10000
GO25	25mm	100	5000
GO32	32mm	50	3000
GO38	38mm	25	2000
GO50	50mm	25	1000

BLIND GROMMETS



Part No	Description	INNER BOX	OUTER BOX
GBP20	20mm	100	10000
GBP25	25mm	100	5000
GBP32	32mm	50	3000
GBP38	38mm	25	2000
GBP50	50mm	25	1000

SUPER GROMMETS



Part No	Description	INNER BOX	OUTER BOX
SGO20	20mm	100	10000
SGO25	25mm	100	5000

ESR Strip Connectors, Porcelain Connectors & Cleats

POLYTHENE (PE) TERMINAL STRIP CONNECTORS



Part No	Description	INNER BOX	OUTER BOX
PE3	3A-4mm, 12 Way	10	1200
PE5	5A-6mm, 12 Way	10	1000
PE15	15A-12mm, 12 Way	10	500
PE30	30A-16mm, 12 Way	10	300
PE60	60A-25mm, 12 Way	10	200

NYLON (PA) TERMINAL STRIP CONNECTORS



Part No	Description	INNER BOX	OUTER BOX
PA3	3A-4mm, 12 Way	10	1200
PA5	5A-6mm, 12 Way	10	1000
PA15	15A-12mm, 12 Way	10	500
PA30	30A-16mm, 12 Way	10	300
PA60	60A-25mm, 12 Way	10	200

PORCELAIN CONNECTORS



Part No	Description	INNER BOX	OUTER BOX
PC5-1	5 Amp 1 Way	20	100
PC5-2	5 Amp 2 Way	20	100
PC5-3	5 Amp 3 Way	20	100
PC15-1	15 Amp 1 Way	20	100
PC15-2	15 Amp 2 Way	20	100
PC15-3	15 Amp 3 Way	20	100
PC30-1	30 Amp 1 Way	20	100
PC30-2	30 Amp 2 Way	20	100
PC30-3	30 Amp 3 Way	20	100

CABLE CLEATS



Part No	Description	INNER BOX	OUTER BOX
CC4	No. 4 Cable Cleats Black	100	100
CC5	No. 5 Cable Cleats Black	100	100
CC6	No. 6 Cable Cleats Black	100	100
CC7	No. 7 Cable Cleats Black	100	100
CC8	No. 8 Cable Cleats Black	100	100
CC9	No. 9 Cable Cleats Black	100	100
CC10	No. 10 Cable Cleats Black	100	100
CC11	No. 11 Cable Cleats Black	50	50
CC12	No. 12 Cable Cleats Black	50	50
CC14	No. 14 Cable Cleats Black	50	50
CC16	No. 16 Cable Cleats Black	50	50
CC18	No. 18 Cable Cleats Black	50	50
CC20	No. 20 Cable Cleats Black	50	50

CABLE TIES



INNER PACK QTY



Part No	Description	Outer Box
CT2.5100N	2.5 X 100mm Cable Tie Natural	50,000
CT2.5150N	2.5 X 150mm Cable Tie Natural	35,000
CT2.5200N	2.5 X 200mm Cable Tie Natural	30,000
CT3.6150N	3.6 X 150mm Cable Tie Natural	25,000
CT3.6200N	3.6 X 200mm Cable Tie Natural	22,000
CT4.6200N	4.6 X 200mm Cable Tie Natural	15,000
CT4.6250N	4.6 X 250mm Cable Tie Natural	12,000
CT4.6300N	4.6 X 300mm Cable Tie Natural	10,000
CT4.6400N	4.6 X 400mm Cable Tie Natural	8,000
CT7.5300N	7.5 X 300mm Cable Tie Natural	5,500
CT7.5400N	7.5 X 400mm Cable Tie Natural	4,000
CT7.5500N	7.5 X 500mm Cable Tie Natural	3,000
CTB19N	19 X 19mm Cable Tie Bases Nylon Natural	10,000
CTB28N	28 X 28mm Cable Tie Bases Nylon Natural	5,000

Part No	Description	Outer Box
CT2.5100B	2.5 X 100mm Cable Tie Black	50,000
CT2.5150B	2.5 X 150mm Cable Tie Black	35,000
CT2.5200B	2.5 X 200mm Cable Tie Black	30,000
CT3.6150B	3.6 X 150mm Cable Tie Black	25,000
CT3.6200B	3.6 X 200mm Cable Tie Black	22,000
CT4.6200B	4.6 X 200mm Cable Tie Black	15,000
CT4.6250B	4.6 X 250mm Cable Tie Black	12,000
CT4.6300B	4.6 X 300mm Cable Tie Black	10,000
CT4.6400B	4.6 X 400mm Cable Tie Black	8,000
CT7.5300B	7.5 X 300mm Cable Tie Black	5,500
CT7.5400B	7.5 X 400mm Cable Tie Black	4,000
CT7.5500B	7.5 X 500mm Cable Tie Black	3,000
CTB19B	19 X 19mm Cable Tie Bases Nylon Black	10,000
CTB28B	28 X 28mm Cable Tie Bases Nylon Black	5,000

STAINLESS STEEL CABLE TIES



PACK QTY

Part No	Description
SSCT2004.6	200 x 4.6mm Stainless Steel 304 Cable Tie
SSCT3004.6	300 x 4.6mm Stainless Steel 304 Cable Tie
SSCT3704.6	370 x 4.6mm Stainless Steel 304 Cable Tie
SSCTB	M6 SS316 Cable Tie Bases

CABLE TIE GUN



INNER BOX

Part No	Description	Inner Box
SSCT-GUN	Cable Tie Gun for Steel Ties	1

M3.5 DECORATIVE SCREWS



Suitable for Daytona
Wiring Accessories



Part No	Description
M3.5X50AB	M3.5x50mm Antique Brass
M3.5X50CH	M3.5x50mm Chrome Nickel or Polished Chrome
M3.5X50BN	M3.5x50mm Black Nickel

CHANNEL SPRING NUTS



SHORT SPRING



Part No	Description
ZM6S	M6 Channel Nut—Short Spring
ZM8S	M8 Channel Nut—Short Spring
ZM10S	M10 Channel Nut—Short Spring
ZM12S	M12 Channel Nut—Short Spring

CHANNEL NUT



Part No	Description
ZM6N	M6 Channel Nut—No Spring
ZM8N	M8 Channel Nut—No Spring
ZM10N	M10 Channel Nut—No Spring
ZM12N	M12 Channel Nut—No Spring

LONG SPRING



Part No	Description
ZM6L	M6 Channel Nut—Long Spring
ZM8L	M8 Channel Nut—Long Spring
ZM10L	M10 Channel Nut—Long Spring
ZM12L	M12 Channel Nut—Long Spring

FIXING BAND



Part No	Description
FBG1210	12 x 0.8mm x 10mts Galvanised Fixing Band
FBG1710	17 x 0.8mm x 10mts Galvanised Fixing Band
FBC1210	12 x 0.8mm x 10mts Black Powder Coated Finish Fixing Band
FBC1710	17 x 0.8mm x 10mts Black Powder Coated Finish Fixing Band

M4 BRASS PAN HEAD SCREWS, NUTS & WASHERS



Part No	Description
M4X6	M4 x 6mm Brass Pan Head Screw
M4X8	M4 x 8mm Brass Pan Head Screw
M4X10	M4 x 10mm Brass Pan Head Screw
M4X12	M4 x 12mm Brass Pan Head Screw
M4X16	M4 x 16mm Brass Pan Head Screw
M4X20	M4 x 20mm Brass Pan Head Screw
M4X25	M4 x 25mm Brass Pan Head Screw
M4X30	M4 x 30mm Brass Pan Head Screw
M4X35	M4 x 35mm Brass Pan Head Screw
M4X40	M4 x 40mm Brass Pan Head Screw
M4X50	M4 x 50mm Brass Pan Head Screw



Part No	Description
M4N	M4 Brass Nut
M4W	M4 Brass Washer

M3.5MM CSK RAISED NICKEL PLATED SCREWS



Part No	Description	INNER BOX	OUTER BOX
M3.5X25	M3.5x25mm	100	10000
M3.5X30	M3.5x30mm	100	10000
M3.5X35	M3.5x35mm	100	6000
M3.5X40	M3.5x40mm	100	6000
M3.5X50	M3.5x50mm	100	6000
M3.5X75	M3.5x75mm	100	4000

BRASS EXTENSION STUD



Part No	Description	INNER BOX	OUTER BOX
M3.5EXT	M3.5mm	100	500

ESR Insulating Tape, Packing Tape & Warning Tape

20 Meter Insulating Tape



Part No	Description	  INNER BOX OUTER BOX	
IT20BL	Blue Insulation Tape 20mtr x 19mm x 0.125mm	10	200
IT20BK	Black Insulation Tape 20mtr x 19mm x 0.125mm	10	200
IT20BR	Brown Insulation Tape 20mtr x 19mm x 0.125mm	10	200
IT20GR	Grey Insulation Tape 20mtr x 19mm x 0.125mm	10	200
IT20WH	White Insulation Tape 20mtr x 19mm x 0.125mm	10	200
IT20R	Red Insulation Tape 20mtr x 19mm x 0.125mm	10	200
IT20Y	Yellow Insulation Tape 20mtr x 19mm x 0.125mm	10	200
IT20G/Y	Green/Yellow Insulation Tape 20mtr x 19mm x 0.125mm	10	200

33 Meter Insulating Tape



Part No	Description	  INNER BOX OUTER BOX	
IT33BL	Blue Insulation Tape 33mtr x 19mm x 0.125mm	10	100
IT33BK	Black Insulation Tape 33mtr x 19mm x 0.125mm	10	100
IT33BR	Brown Insulation Tape 33mtr x 19mm x 0.125mm	10	100
IT33GR	Grey Insulation Tape 33mtr x 19mm x 0.125mm	10	100
IT33WH	White Insulation Tape 33mtr x 19mm x 0.125mm	10	100
IT33R	Red Insulation Tape 33mtr x 19mm x 0.125mm	10	100
IT33Y	Yellow Insulation Tape 33mtr x 19mm x 0.125mm	10	100
IT33G/R	Green/Yellow Insulation Tape 33mtr x 19mm x 0.125mm	10	100

Packing Tape



Part No	Description	  INNER BOX OUTER BOX	
PT66BR	48mm x 66Mtr Brown Packing Tape	6	72
PT66CL	48mm x 66Mtr Clear Packing Tape	6	72

Warning Tape



Part No	Description	  INNER BOX OUTER BOX	
WT	150mm x 365mt Warning Tape	1	4

ESR Flexible Conduit

FLEXIBLE CONDUIT & GLANDS



Part No	Description	OUTER BOX
CTRPK20BK	20mm Contractor Pack, 10mts Flex Conduit + Glands+Clips	10
CTRPK25BK	25mm Contractor Pack, 10mts Flex Conduit + Glands+Clips	10
FC20BK	50mt Roll 20mm Flexible Conduit, Black	1
FC25BK	50mt Roll 25mm Flexible Conduit, Black	1
FC20GL	20mm Glands to suit Flexible Conduit, Black	10
FC25GL	25mm Glands to suit Flexible Conduit, Black	10

STEEL FLEXIBLE CONDUIT & GLANDS



FCC20BK / FCC25BK



FCGF20 / FCGF25



FCGS20 / FCGS25

Part No	Description	OUTER BOX
FCC20BK	20mm x 30Mts PVC Coated Flexible	1
FCC25BK	25mm x 30Mts PVC Coated Flexible	1
FCGF20	20mm Brass Nickel Plated Fixed Gland	10
FCGF25	25mm Brass Nickel Plated Fixed Gland	10
FCGS20	20mm Brass Nickel Plated Swivel Gland	10
FCGS25	25mm Brass Nickel Plated Swivel Gland	10

PVC SEALING CEMENT



Part No	Description	OUTER BOX
PGLUE	PVC Sealing Cement - 250ml	48

BENDING SPRINGS



Part No	Description
DBL 2	20mm Light Gauge Bending Spring
DBH 2	20mm Heavy Gauge Bending Spring
DBL 3	25mm Light Gauge Bending Spring
DBH 3	25mm Heavy Gauge Bending Spring

MANOR

Non Corrosive Fittings




*Polycarbonate
Base & Cover*



*Tridonic
Driver*



*Stainless
Steel Clips*



Operating Temperature: -20°C—+40°C

Fixing Method: Surface Mounted, Suspension

Beam Angle: 110°

Power Factor: >0.9

Input Voltage: 220-240V AC 50Hz



INNER BOX
1



OUTER BOX
6

5ft Non Corrosive Fittings

Data/Product	M5304	M5304EM (Emergency Version)	M5604	M5604EM (Emergency Version)
Power	30w	30w	60w	60w
Size (mm)	1565 x 90 x 88	1565 x 90 x 88	1565 x 130 x 88	1565 x 130 x 88
Colour Temperature	4000k	4000k	4000k	4000k
Lumen Output	2700	2700	5400	5400
Current	0.15a	0.15a	0.29A	0.29A



INNER BOX
1



OUTER BOX
6

4ft Non Corrosive Fittings

Data/Product	M4204	M4504	M4504EM (Emergency Version)
Power	20w	50w	50w
Size (mm)	1265 x 90 x 88	1265 x 130 x 88	1265 x 130 x 88
Colour Temperature	4000k	4000k	4000k
Lumen Output	1800	4500	4500
Current	0.1A	0.24A	0.24A

MANOR

Non Corrosive Fitting—Budget



- ✓ Dual Voltage Version Available
- ✓ Pre Wired with 1m Cable
- ✓ Polycarbonate Base and Diffuser



Data/Product	MB5484	MB5484DV
Power	48w	48w
Size (mm)	1468x70x55	1468x70x55
Colour Temperature	4000k	4000k
Lumen Output	4800	4800

Operating Temperature: -20°C—+40°C

Fixing Method: Surface Mounted

Beam Angle: 120°


Power Factor: >0.9

Input Voltage: 110-240V AC 50Hz


Colour: White Base, Opal Diffuser

DERG

Slim Batten Fittings



Data/Product	DSB2184	DSB3274	DSB4364	DSB5454
Power	18w	27w	36w	45w
Size (mm)	600x72x23	900x72x23	1200x72x23	1500x72x23
Colour Temperature	4000k	4000k	4000k	4000k
Lumen Output	1440	2160	2880	3600



	A	B	C	
DSB2184	600	72	23	Pre-wired
DSB3274	900	72	23	Polycarbonate body & diffuser
DSB4364	1200	72	23	Operating Temperature: -20°C—+40°C
DSB5454	1500	72	23	Fixing Method: Surface Mounted
				Power Factor: >0.9
				Input Voltage: 220-240V AC 50Hz
				Colour: White Base, Opal Diffuser

Suspension Kit Available



DSB/SUSK

Derg Suspension Kit

REUBENS

Circular Ceiling Light



Operating Temperature: -20°C—+40°C

Fixing Method: Surface Mounted

Beam Angle: 120°

Power Factor: >0.9

Input Voltage: 220-240V AC 50Hz

Colour: White Base, Opal Diffuser



	Diameter	Depth
R124	200	48
R184/R184EM	300	40
R254/R254EM	300	40
R304	400	52

Emergency Versions

Data/Product	R124	R184	R254	R304	R184EM	R254EM
Power	12w	18w	25w	30w	18w	25w
Size (mm)	200 x 48	300 x 40	300 x 40	400 x 52	300 x 40	300 x 40
Colour Temperature	4000k	4000k	4000k	4000k	4000k	4000k
Lumen Output	1120	1620	2250	2460	1620	2250
Current	0.06A	0.09A	0.12A	0.15A	0.09A	0.12A
Box Quantities	INNER BOX 1	OUTER BOX 20		INNER BOX 1	OUTER BOX 10	

DAVAGH

Circular Ceiling Light



Opal Diffuser

Operating Temperature: -15°C—+40°C

Fixing Method: Surface Mounted

Beam Angle: 110°

Power Factor: 0.0942

Input Voltage: 220-240V AC 50Hz



	Diameter	Depth
DA144	328	110
DA144EM	328	110

Data/Product	DA144	DA144EM (Emergency Version)
Power	14w	14w
Size (mm)	328 x 110	328 x 110
Colour Temperature	4000k	4000k
Lumen Output	1120	1120
Current	0.069A	0.069A
Mounting Height	3m	3m
Box Quantities	INNER BOX 1	OUTER BOX 10

GLEN

Circular Ceiling Light



Operating Temperature: -20°C—+40°C

Fixing Method: Surface Mounted, Twist & Lock Design

Beam Angle: 120°

Power Factor: >0.9

Input Voltage: 220-240V AC 50Hz


Colour: White Base, Opal Diffuser

	Diameter	Depth
G124	250	48
G184	300	48
G254	400	63

Data/Product	G124	G184	G254
Power	12w	18w	25w
Size (mm)	250 x 48	300 x 48	400 x 63
Colour Temperature	4000k	4000k	4000k
Lumen Output	1190	1720	2350
Current	0.06A	0.09A	0.12A
Mounting Height	3m	3m	3m
Box Quantities	INNER BOX 1	OUTER BOX 20	INNER BOX 1

DRUM

Circular Bulkhead



Operating Temperature: -15°C—+40°C

Fixing Method: Surface Mounted

Beam Angle: 110°

Power Factor: 0.90

Input Voltage: 220-240V AC 50Hz

	Diameter	Depth
DR84WH	200	92
DR144WH	282	92
DR144WHEM	282	92

Data/Product	DR84WH	DR144WH	Emergency Version DR144WHEM
Power	8w	14w	14w
Size (mm)	200 x 92	282 x 92	282 x 92
Colour Temperature	4000k	4000k	4000k
Lumen Output	640	1120	1120
Current	0.052A	0.078A	0.078A
Box Quantities	INNER BOX 1	OUTER BOX 10	INNER BOX 1

SLIEVE

Rectangular LED Bulkhead



Input Voltage: 220-240V AC 50Hz



Operating Temperature: -20°C—+40°C

Fixing Method: Surface Mounted

SMD Light Source, Even Light Distribution

0.6m Cable Pre-Wired

Opal Diffuser



Dimensions (mm)

A	B	C
230	58.5	105

Data/Product	SBR12W	SBR12B	SBR12W/6	SBR12B/6
Power	12w	12w	12w	12w
Size (mm)	230x105x58.5	230x105x58.5	230x105x58.5	230x105x58.5
Colour Temperature	4000k	4000k	6000k	6000k
Lumen Output	960	960	960	960
Body Colour	White	Black	White	Black

GALLION

Oval LED Bulkhead




2 Additional Covers Included

Input Voltage: 220-240V AC 50Hz

Operating Temperature: -20°C—+40°C

Fixing Method: Surface Mounted

0.6m Cable Pre-Wired



Dimensions (mm)

A	B	C
230	105	70


Data/Product	GBO12B
Power	12w
Size (mm)	230x105x70
Colour Temperature	4000k
Lumen Output	960
Body Colour	Black

SAWEL

Circular LED Bulkhead



Input Voltage: 220-240V AC 50Hz
 Operating Temperature: -20°C—+40°C
 Fixing Method: Surface Mounted
 0.6m Cable Pre-Wired
 Opal Diffuser




Dimensions (mm)

A	B
190	65


Data/Product	SBC12W	SBC12B	SBC12W/6	SBC12B/6
Power	12w	12w	12w	12w
Size (mm)	190x65	190x65	190x65	190x65
Colour Temperature	4000k	4000k	6000k	6000k
Lumen Output	960	960	960	960
Body Colour	White	Black	White	Black

FOREST

LED Wallpack



Fixing Method: Surface Mounted
 Beam Angle: 120°
 Power Factor: 0.90
 Input Voltage: 220-240V AC 50Hz
 Pre Wired with 1m Cable
 Die-casting Aluminium Base/Heatsink



Data/Product	FWP304	FWB304/PC
Power	30w	30w
Size (mm)	309x293x117	309x293x117
Colour Temperature	4000k	4000k
Lumen Output	2300	2300
Body Colour	Black	Black
Photocell	No	Yes

ROUSKEY

LED Floodlights

Fixing Method: Surface Mounted

Die-casting Aluminium Base/Heatsink

Beam Angle: 120°

Input Voltage: 220-240V AC 50Hz

Pre Wired with 1m Cable



RF106



RF206



RF306



RF506

Data/Product	RF106	RF206	RF306	RF506
Power	10w	20w	30w	50w
Size (mm)	103x83x24	121x95x24	159x121x24	205x159x30
Colour Temp	6000k	6000k	6000k	6000k
Lumen Output	800	1600	2400	4000
Outer Box Qty	50	20	20	20

ROUSKEY

LED Floodlights with PIR

Fixing Method: Surface Mounted

Die casting Aluminium Base / Heatsink

Beam Angle: 120°

Power Factor: >0.9

Input Voltage: 220-240V AC 50Hz

Pre Wired with 1m Cable



RF106PIR



RF206PIR



RF306PIR



RF506PIR

Data/Product	RF106PIR	RF206PIR	RF306PIR	RF506PIR
Power	10w	20w	30w	50w
Size (mm)	103x155x24	121x163x24	159x193x24	205x216x30
Colour Temp	6000k	6000k	6000k	6000k
Lumen Output	800	1600	2400	4000
Outer Box Qty	50	20	20	10

ROUSKEY

100w LED Floodlights


Fixing Method: Surface Mounted

Die-casting Aluminium Base/Heatsink

Beam Angle: 120°

Input Voltage: 220-240V AC 50Hz

Pre Wired with 1m Cable



RF1006



RF1006PIR

Data/Product	RF1006	RF1006PIR
Power	100w	100w
Size (mm)	268X210X33	268X260X33
Colour Temp	6000k	6000k
Lumen Output	8000	8000
Outer Box Qty	10	4

LIGHTHOUSE

LED Floodlights


(Dual Voltage)

Fixing Method: Surface Mounted

Power Factor: 0.95

Input Voltage: 110-240V AC 50Hz

Pre Wired with 1m Cable



FL150B / FL150BPC



FL200B / FL200BPC

Data/Product	FL150B	FL150BPC	FL200B	FL200BPC
Power	150w	150w	200w	200w
Size (mm)	455x320x195	455x320x195	520X325X210	520X325X210
Colour Temp	6400k	6400k	6400k	6400k
Lumen Output	13200	13200	16000	16000
Current	650	650	900	900
Photocell	No	Yes	No	Yes

POLYCARBONATE HIGH BAYS



- ✓ Polycarbonate Reflectors
- ✓ Pre Wired Suspension Holders
- ✓ Suitable for Low Budget Applications
- ✓ Minimal Maintenance
- ✓ Suitable for a Range of Lamps
- ✓ Optional Bottom Covers Available

Fittings	Code	Dimensions (mm)	Compatible with
Reflectors	Polystar2	315x410	LU75/95 CL60
	Polystar3	380x495	LU125/150 CL80/100
Bottom Covers	Polystar2BC	410 diameter	Polystar2
	Polystar3BC	495 diameter	Polystar3
Accessories	E40SUSP	Suspension Holder	
	E27/E40CON	Convertor from E27 cap to E40	

ALUMINIUM HIGH BAYS

- ✓ Spun Aluminium Reflectors
- ✓ Pre Wired Suspension Holders
- ✓ Suitable for Low Budget Applications
- ✓ Minimal Maintenance
- ✓ Suitable for a Range of Lamps
- ✓ Optional Bottom Covers Available



Fittings	Code	Dimensions (mm)	Compatible with
Reflectors	Alumstar2	310x420	LU75/95 CL60
	Alumstar3	380x490	LU125/150 CL80/100
Bottom Covers	Alumstar2BC	420 diameter	Alumstar2
	Alumstar3BC	490 diameter	Alumstar3
Accessories	E40SUSP	Suspension Holder	
	E27/E40CON	Convertor from E27 cap to E40	


CFL LAMPS



Instant start and restart
Internally Ballasted
Suitable for retrofitting
240v AC 50Hz
1 Year / 2000 hour warranty

Data/Product	LU30	LU45	LU60	LU75	LU95	LU125	LU150
Power (w)	30	45	60	75	95	125	150
Fitting	E27	E27	E27	E27	E27	E40	E40
Lamp Style	Spiral	Spiral	Spiral	Spiral	Spiral	8U	8U
Size (mm)	68x200	78x220	78x265	100x270	100x300	125x335	125x350
Colour Temperature	6400k	6400k	6400k	6400k	6400k	6400k	6400k
Lumen Output	1800	2700	3600	4500	6000	7500	9000
Current	150ma	225ma	250ma	375ma	475ma	625ma	750ma
Mounting Height	3m	3m	3m	3-4m	4-5m	4-6m	4-6m
Alternative to	150w incand/ GLS	200w incand/ GLS	70w MH/SON	100w MH/ SON	150w MH/ SON	250w MH/ SON	250/400w MH/SON
Box Quantity	50	20	20	20	20	9	9

LED CORN LIGHTS



Heat sinks on aluminium boards
Complete with heat & surge protection
Power Factor: >90
Lamp Life: 36,000 Hours
110-240v AC 50/60Hz
Instant Start and Restart
3 Year / 15000 Hour Warranty
Operating Temperature: -20°C to 60°C

Data/Product	CL20	CL30	CL40	CL60	CL80	CL100
Power (w)	20	30	40	60	80	100
Fitting	E27	E27	E27	E27	E40	E40
Size (mm)	55x185	93x210	93x240	93x265	125x270	125x290
Colour Temperature	6400k	6400k	6400k	6400k	6400k	6400k
Lumen Output	2200	3300	4400	6600	9200	11500
Mounting Height	2-3m	3m	3m	4-5m	4-5m	4-6m
Alternative to	70w MH/SON	70w MH/SON	70w MH/SON	150w MH/SON	250w MH/SON	250w MH/SON
Box Quantity	50	12	12	12	6	6

E27/E40



- Use this to install E27 lamp into E40 holder



E27/E40 E27 to E40 Converter

1	25
---	----

PHOTO ELECTRIC CELL KIT



- Power Source: 110-240V AC
- Power Frequency: 50/60Hz
- Rated Current: 10A
- Ambient Light: -5 – 15LUX
- Switching Capacity LED—1000w



PEC Photo Electric Cell Kit

1	50
---	----

PEC/H Photo Electric Cell Head

1	50
---	----

PIR DETECTOR WALL MOUNTED



- Power Source: 220-240V AC
- Switching Capacity—LED 300w
- Detection Distance: 12m max
- Time Delay: Min 10sec Max 7min
- Ambient Light: -3-2000LUX
- Installation Height: 1.8-2.5m



PIR/W 180 Degree Detector

1	50
---	----

OCCUPANCY DETECTOR RECESSED



- Power Source: 220-240V AC
- Detection Range: 360 Degrees
- Switching Capacity—LED 300w
- Detection Distance: 6m
- Time Delay: Min 10sec Max 15min
- Ambient Light: -3 – 2000LUX
- Installation Height: 2.2-4m
- Can be series linked



PIR/F Infrared Motion Sensor

1	50
---	----

OCCUPANCY DETECTOR SURFACE MOUNT



- Power Source: 110-240V AC
- Detection Range: 360 Degrees
- Switching Capacity—LED 200w
- Detection Distance: 8m
- Time Delay: Min 10sec Max 7min
- Ambient Light: -3 – 2000LUX
- Installation Height: 2.2-4m
- Can be series linked



PIR/S Infrared Motion Sensor

1	100
---	-----

GU10 & MR16

Sperrin
LAMPS



GU10 LED 5w

Code	Watt	Colour	Lumens
GU1053	5W	3000K	480
GU1054	5W	4000K	500
GU10564	5W	6400K	500





MR16 LED 5w

Code	Watt	Colour	Lumens
MR1653	5W	3000K	480
MR1654	5W	4000K	500
MR16564	5W	6400K	500

GU10 LED 7w—Dimmable

Code	Watt	Colour	Lumens
GU1073D	7W	3000K	680
GU1074D	7W	4000K	700
GU10764D	7W	6400K	700



- ✓ Flicker Free
- ✓ Natural Light Comfortable
- ✓ Mercury Free, Lead Free
- ✓ Energy Efficient
- ✓ Easy Replace—Convenient

Voltage	220-240v
Ra	>80
Beam Angle	60°
Frequency	50 Hz

CE UK
CA



ESR

Web: www.esrenterprise.com

Email: sales@esrenterprise.com

Sperrin
LAMPS

Candle-LED



SBC/B15 Base

Code	Watt	Colour	Lumens
CAN63SBC	6W	3000K	530
CAN64SBC	6W	4000K	540
CAN664SBC	6W	6400K	540



BC/B22 Base

Code	Watt	Colour	Lumens
CAN63BC	6W	3000K	530
CAN64BC	6W	4000K	540
CAN664BC	6W	6400K	540




SES/E14 Base

Code	Watt	Colour	Lumens
CAN63SES	6W	3000K	530
CAN64SES	6W	4000K	540
CAN664SES	6W	6400K	540



ES/E27 Base

Code	Watt	Colour	Lumens
CAN63ES	6W	3000K	530
CAN64ES	6W	4000K	540
CAN664ES	6W	6400K	540



- ✓ Flicker Free
- ✓ Natural Light Comfortable
- ✓ Mercury Free, Lead Free
- ✓ Energy Efficient
- ✓ Easy Replace—Convenient

Voltage	220-240v
Ra	>80
Beam Angle	270°
Frequency	50 Hz
Dimmable	No



Candle-LED Dimmable

Sperrin
LAMPS



SBC/B15 Base

Code	Watt	Colour	Lumens
CAN63SBCD	6W	3000K	510
CAN64SBCD	6W	4000K	520
CAN664SBCD	6W	6400K	520



BC/B22 Base

Code	Watt	Colour	Lumens
CAN63BCD	6W	3000K	510
CAN64BCD	6W	4000K	520
CAN664BCD	6W	6400K	520




SES/E14 Base

Code	Watt	Colour	Lumens
CAN63SESD	6W	3000K	510
CAN64SESD	6W	4000K	520
CAN664SESD	6W	6400K	520



ES/E27 Base

Code	Watt	Colour	Lumens
CAN63ESD	6W	3000K	510
CAN64ESD	6W	4000K	520
CAN664ESD	6W	6400K	520



- ✓ Flicker Free
- ✓ Natural Light Comfortable
- ✓ Mercury Free, Lead Free
- ✓ Energy Efficient
- ✓ Easy Replace—Convenient

Voltage	220-240v
Ra	>80
Beam Angle	270°
Frequency	50 Hz
Dimmable	Yes

CE UK
CA



ESR

Web: www.esrenterprise.com

Email: sales@esrenterprise.com

Sperrin
LAMPS



Filament Candle Clear Glass



SBC/B15 Base

Code	Watt	Colour	Lumens
FCAN53SBCC	5W	3000K	540
FCAN54SBCC	5W	4000K	550
FCAN564SBCC	5W	6400K	550



BC/B22 Base

Code	Watt	Colour	Lumens
FCAN53BCC	5W	3000K	540
FCAN54BCC	5W	4000K	550
FCAN564BCC	5W	6400K	550




SES/E14 Base

Code	Watt	Colour	Lumens
FCAN53SESC	5W	3000K	540
FCAN54SESC	5W	4000K	550
FCAN564SESC	5W	6400K	550



ES/E27 Base

Code	Watt	Colour	Lumens
FCAN53ESC	5W	3000K	540
FCAN54ESC	5W	4000K	550
FCAN564ESC	5W	6400K	550



- ✓ Flicker Free
- ✓ Natural Light Comfortable
- ✓ Mercury Free, Lead Free
- ✓ Energy Efficient
- ✓ Easy Replace—Convenient

Voltage	220-240v
Ra	>80
Beam Angle	330°
Frequency	50 Hz
Dimmable	No



[From UK] Tel: 02879 651850 Fax: 020 3163 9963

[From ROI/International] Tel: 0044 2879 651 850 Fax: 0044 20 3163 9963



Filament Candle Clear Glass Dimmable

Sperrin
LAMPS



SBC/B15 Base

Code	Watt	Colour	Lumens
FCAN53SBCCD	5W	3000K	540
FCAN54SBCCD	5W	4000K	550
FCAN564SBCCD	5W	6400K	550



BC/B22 Base

Code	Watt	Colour	Lumens
FCAN53BCCD	5W	3000K	540
FCAN54BCCD	5W	4000K	550
FCAN564BCCD	5W	6400K	550





SES/E14 Base

Code	Watt	Colour	Lumens
FCAN53SESCD	5W	3000K	540
FCAN54SESCD	5W	4000K	550
FCAN564SESCD	5W	6400K	550



ES/E27 Base

Code	Watt	Colour	Lumens
FCAN53ESCD	5W	3000K	540
FCAN54ESCD	5W	4000K	550
FCAN564ESCD	5W	6400K	550



- ✓ Flicker Free
- ✓ Natural Light Comfortable
- ✓ Mercury Free, Lead Free
- ✓ Energy Efficient
- ✓ Easy Replace—Convenient

Voltage	220-240v
Ra	>80
Beam Angle	330°
Frequency	50 Hz
Dimmable	Yes



ESR

Web: www.esrenterprise.com

Email: sales@esrenterprise.com

Sperrin
LAMPS



Filament Candle Frosted Glass



SBC/B15 Base

Code	Watt	Colour	Lumens
FCAN53SBCF	5W	3000K	490
FCAN54SBCF	5W	4000K	500
FCAN564SBCF	5W	6400K	500



BC/B22 Base

Code	Watt	Colour	Lumens
FCAN53BCF	5W	3000K	490
FCAN54BCF	5W	4000K	500
FCAN564BCF	5W	6400K	500




SES/E14 Base

Code	Watt	Colour	Lumens
FCAN53SESF	5W	3000K	490
FCAN54SESF	5W	4000K	500
FCAN564SESF	5W	6400K	500



ES/E27 Base

Code	Watt	Colour	Lumens
FCAN53ESF	5W	3000K	490
FCAN54ESF	5W	4000K	500
FCAN564ESF	5W	6400K	500



- ✓ Flicker Free
- ✓ Natural Light Comfortable
- ✓ Mercury Free, Lead Free
- ✓ Energy Efficient
- ✓ Easy Replace—Convenient

Voltage	220-240v
Ra	>80
Beam Angle	330°
Frequency	50 Hz
Dimmable	No



[From UK] Tel: 02879 651850 Fax: 020 3163 9963

[From ROI/International] Tel: 0044 2879 651 850 Fax: 0044 20 3163 9963



Filament Candle Amber Glass

Sperrin
LAMPS



BC/B22 Base



ES/E27 Base



SES/E14 Base

Code	Watt	Colour	Lumens
FCAN53BCAMD	5W	3000K	490

Code	Watt	Colour	Lumens
FCAN53ESAMD	5W	3000K	490

Code	Watt	Colour	Lumens
FCAN53SESAMD	5W	3000K	490



Filament GLS Amber Glass



BC/B22 Base



ES/E27 Base

Code	Watt	Colour	Lumens
FGLS73BCAMD	7W	3000K	690

Code	Watt	Colour	Lumens
FGLS73ESAMD	7W	3000K	690



- ✓ Flicker Free
- ✓ Natural Light Comfortable
- ✓ Mercury Free, Lead Free
- ✓ Energy Efficient
- ✓ Easy Replace—Convenient

Voltage 220-240v

Ra >80

Frequency 50 Hz

Dimmable Yes



ESR

Web: www.esrenterprise.com

Email: sales@esrenterprise.com

Sperrin
LAMPS



SBC/B15 Base

Code	Watt	Colour	Lumens
GO63SBC	6W	3000K	580
GO64SBC	6W	4000K	590
GO664SBC	6W	6400K	590



BC/B22 Base

Code	Watt	Colour	Lumens
GO63BC	6W	3000K	580
GO64BC	6W	4000K	590
GO664BC	6W	6400K	590




SES/E14 Base

Code	Watt	Colour	Lumens
GO63SES	6W	3000K	580
GO64SES	6W	4000K	590
GO664SES	6W	6400K	590



ES/E27 Base

Code	Watt	Colour	Lumens
GO63ES	6W	3000K	580
GO64ES	6W	4000K	590
GO664ES	6W	6400K	590



- ✓ Flicker Free
- ✓ Natural Light Comfortable
- ✓ Mercury Free, Lead Free
- ✓ Energy Efficient
- ✓ Easy Replace—Convenient

Voltage	220-240v
Ra	>80
Beam Angle	270°
Frequency	50 Hz
Dimmable	No



Golf-LED Dimmable

Sperrin
LAMPS



SBC/B15 Base

Code	Watt	Colour	Lumens
GO63SBCD	6W	3000K	580
GO64SBCD	6W	4000K	590
GO664SBCD	6W	6400K	590



BC/B22 Base

Code	Watt	Colour	Lumens
GO63BCD	6W	3000K	580
GO64BCD	6W	4000K	590
GO664BCD	6W	6400K	590




SES/E14 Base

Code	Watt	Colour	Lumens
GO63SESD	6W	3000K	580
GO64SESD	6W	4000K	590
GO664SESD	6W	6400K	590



ES/E27 Base

Code	Watt	Colour	Lumens
GO63ESD	6W	3000K	580
GO64ESD	6W	4000K	590
GO664ESD	6W	6400K	590



- ✓ Flicker Free
- ✓ Natural Light Comfortable
- ✓ Mercury Free, Lead Free
- ✓ Energy Efficient
- ✓ Easy Replace—Convenient

Voltage	220-240v
Ra	>80
Beam Angle	270°
Frequency	50 Hz
Dimmable	Yes

CE UK
CA



ESR

Web: www.esrenterprise.com

Email: sales@esrenterprise.com

Sperrin
LAMPS

Filament Golf Clear Glass



SBC/B15 Base

Code	Watt	Colour	Lumens
FGO3SBCC	5W	3000K	540
FGO54SBCC	5W	4000K	550
FGO564SBCC	5W	6400K	550



BC/B22 Base

Code	Watt	Colour	Lumens
FGO53BCC	5W	3000K	540
FGO54BCC	5W	4000K	550
FGO564BCC	5W	6400K	550





SES/E14 Base

Code	Watt	Colour	Lumens
FGO53SESC	5W	3000K	540
FGO54SESC	5W	4000K	550
FGO564SESC	5W	6400K	550



ES/E27 Base

Code	Watt	Colour	Lumens
FGO53ESC	5W	3000K	540
FGO54ESC	5W	4000K	550
FGO564ESC	5W	6400K	550



- ✓ Flicker Free
- ✓ Natural Light Comfortable
- ✓ Mercury Free, Lead Free
- ✓ Energy Efficient
- ✓ Easy Replace—Convenient

Voltage	220-240v
Ra	>80
Beam Angle	360°
Frequency	50 Hz
Dimmable	No



Golf Filament Clear Glass Dimmable



Sperrin
LAMPS

SBC/B15 Base

Code	Watt	Colour	Lumens
FGO53SBCCD	5W	3000K	540
FGO54SBCCD	5W	4000K	550
FGO564SBCCD	5W	6400K	550



BC/B22 Base

Code	Watt	Colour	Lumens
FGO53BCCD	5W	3000K	540
FGO54BCCD	5W	4000K	550
FGO564BCCD	5W	6400K	550





SES/E14 Base

Code	Watt	Colour	Lumens
FGO53SESCD	5W	3000K	540
FGO54SESCD	5W	4000K	550
FGO564SESCD	5W	6400K	550



ES/E27 Base

Code	Watt	Colour	Lumens
FGO53ESCD	5W	3000K	540
FGO54ESCD	5W	4000K	550
FGO564ESCD	5W	6400K	550



- ✓ Flicker Free
- ✓ Natural Light Comfortable
- ✓ Mercury Free, Lead Free
- ✓ Energy Efficient
- ✓ Easy Replace—Convenient

Voltage	220-240v
Ra	>80
Beam Angle	360°
Frequency	50 Hz
Dimmable	Yes



ESR

Web: www.esrenterprise.com

Email: sales@esrenterprise.com

Sperrin
LAMPS


Sperrin

LAMPS

G9 / G4




G9 LED—DIMMABLE




Code	Watt	Colour	Lumens
G953D	5W	3000K	420
G954D	5W	4000K	450
G9564D	5W	6400K	480



G4 LED—DIMMABLE



Code	Watt	Colour	Lumens
G423D	2W	3000K	180
G424D	2W	4000K	190
G4264D	2W	6400K	200



Voltage	12v
Ra	>80
Frequency	50 Hz
Dimmable	Yes


Cooker Hood

COOKER HOOD LED

Code	Watt	Colour	Lumens
CH4SES	4W	2700K	390



Voltage	220-240v
Ra	>80
Frequency	50 Hz
Dimmable	No



CE UK
CA



ESR

[From UK] Tel: 02879 651850 Fax: 020 3163 9963

[From ROI/International] Tel: 0044 2879 651 850 Fax: 0044 20 3163 9963

Sperrin

LAMPS

GLS—LED

Sperrin LAMPS




9W BC/B22 Base

Code	Watt	Colour	Lumens
GLS93BC	9W	3000K	880
GLS94BC	9W	4000K	900
GLS964BC	9W	6400K	900




9W ES/E27 Base

Code	Watt	Colour	Lumens
GLS93ES	9W	3000K	880
GLS94ES	9W	4000K	900
GLS964ES	9W	6400K	900




12W BC/B22 Base

Code	Watt	Colour	Lumens
GLS123BC	12W	3000K	1180
GLS124BC	12W	4000K	1200
GLS1264BC	12W	6400K	1200



12W ES/E27 Base

Code	Watt	Colour	Lumens
GLS123ES	12W	3000K	1180
GLS124ES	12W	4000K	1200
GLS1264ES	12W	6400K	1200



- ✓ Flicker
- ✓ Natural Light Comfortable
- ✓ Mercury Free, Lead Free
- ✓ Energy Efficient
- ✓ Easy Replace—Convenient

Voltage	220-240v
Ra	>80
Beam Angle	270°
Frequency	50 Hz
Dimmable	No

ESR

Web: www.esenterprise.com

Email: sales@esenterprise.com

CE UK
CA



Sperrin LAMPS

Sperrin

LAMPS

GLS—LED



15W BC/B22 Base

Code	Watt	Colour	Lumens
GLS153BC	15W	3000K	1480
GLS154BC	15W	4000K	1500
GLS1564BC	15W	6400K	1500



15W ES/E27 Base

Code	Watt	Colour	Lumens
GLS153ES	15W	3000K	1480
GLS154ES	15W	4000K	1500
GLS1564ES	15W	6400K	1500



15W BC/B22 Base—Dimmable

Code	Watt	Colour	Lumens
GLS153BCD	15W	3000K	1450
GLS154BCD	15W	4000K	1480
GLS1564BCD	15W	6400K	1480



15W ES/E27 Base —Dimmable

Code	Watt	Colour	Lumens
GLS153ESD	15W	3000K	1480
GLS154ESD	15W	4000K	1500
GLS1564ESD	15W	6400K	1500



18 W BC/B22 Base

Code	Watt	Colour	Lumens
GLS183BC	18W	3000K	1780
GLS184BC	18W	4000K	1800
GLS1864BC	18W	6400K	1800



18W ES/E27 Base

Code	Watt	Colour	Lumens
GLS183ES	18W	3000K	1780
GLS184ES	18W	4000K	1800
GLS1864ES	18W	6400K	1800



- ✓ Flicker Free
- ✓ Natural Light Comfortable
- ✓ Mercury Free, Lead Free
- ✓ Energy Efficient
- ✓ Easy Replace—Convenient

Voltage	220-240v
Ra	>80
Beam Angle	270°
Frequency	50 Hz

ESR

[From UK] Tel: 02879 651850 Fax: 020 3163 9963

[From ROI/International] Tel: 0044 2879 651 850 Fax: 0044 20 3163 9963

CE UK
CA



Sperrin

LAMPS

Filament GLS Clear & Frosted Glass

Sperrin
LAMPS



BC/B22 Base

Code	Watt	Colour	Lumens
FGLS73BCC	7W	3000K	770
FGLS74BCC	7W	4000K	780
FGLS764BCC	7W	6400K	780



ES/E27 Base

Code	Watt	Colour	Lumens
FGLS73ESC	7W	3000K	770
FGLS74ESC	7W	4000K	780
FGLS764ESC	7W	6400K	780



BC/B22 Base—Dimmable

Code	Watt	Colour	Lumens
FGLS73BCCD	7W	3000K	770
FGLS74BCCD	7W	4000K	780
FGLS764BCCD	7W	6400K	780



ES/E27 Base —Dimmable

Code	Watt	Colour	Lumens
FGLS73ESCD	7W	3000K	770
FGLS74ESCD	7W	4000K	780
FGLS764ESCD	7W	6400K	780



BC/B22 Base

Code	Watt	Colour	Lumens
FGLS73BCF	7W	3000K	690
FGLS74BCF	7W	4000K	700
FGLS764BCF	7W	6400K	700



ES/E27 Base

Code	Watt	Colour	Lumens
FGLS73ESF	7W	3000K	690
FGLS74ESF	7W	4000K	700
FGLS764ESF	7W	6400K	700



- ✓ Flicker Free
- ✓ Natural Light Comfortable
- ✓ Mercury Free, Lead Free
- ✓ Energy Efficient
- ✓ Easy Replace—Convenient

Voltage	220-240v
Ra	>80
Beam Angle	270°
Frequency	50 Hz

CE UK
CA



ESR

Web: www.esrenterprise.com

Email: sales@esrenterprise.com

Sperrin
LAMPS



ESR ENTERPRISE LTD

Unit C1 Ronan Valley Business Park,
Ballyronan Road, Magherafelt, N. Ireland, BT45 6EW

[From UK] Tel: 02879 651850 **Fax:** 020 3163 9963

[From ROI/International] Tel: 0044 28 7965 1850 **Fax:** 0044 20 3163 9963

www.esrenterprise.com

email: sales@esrenterprise.com