



# CLASSIC | MODERN

#### MAINTENANCE FREE RESIN OUTDOOR LIGHTING



DISTRIBUTED BY ECI LIGHTING







FREE



ANTI-SHOCK BODY



**FULLY** RECYCLABLE



UV RAY TREATED




DOUBLE INSULATION













### **CLASSIC & MODERN** RANGE














ANNA LANTERN






































220










ARTU SABA

220











Ø 150

Ø 50

220

MIZAR SABA





M

Ø 245 🗲





















SMOKED


OPAL



























































































































MIZAR GOLIA







































# **CEFA** RANGE


















































































fumagalli

ARTU NOEMI






































**NOEMI LED** RANGE








4000K


COLOUR TEMP








































## **TOBIA LED RANGE**
















































## **SIMON LED RANGE**











































24

23

**SIMON LED** RANGE







210mA


>0.9

4000K


CURRENT


POWER FACTOR

COLOUR TEMP







































**ELIA** RANGE















































































# **SAURO RANGE**

10W LED

1200Lm


3000K


SAURO 1100 10W LED


150

1100











Suitable for all lamp types including LED

BODY DIFFUSER

PROTECTION

SHOCKPROOF

CLEAR

IP55











Ø245


























**DIMENSIONS** 











COLOUR TEMP INCANDESCENT EQUIVALENT


























GX53 LED LAMP INCLUDED


LAMP


POWER LUMINOUS

VOLTAGE RANGE

COLOUR TEMP











COLOUR TEMP INCANDESCENT EQUIVALENT























**AMELIA** RANGE **LED** BOLLARDS **AMELIA** RANGE









CLASS II


DOUBLE

LED

ENERGY

UV RAY

PROTECTION EUROPEAN





ANTI-SHOCK

FULLY


ANTI-RUST

MAINTENANCE













INCANDESCENT

EQUIVALENT



= 75W


















MADE IN ITALY

# **CARLO/DECO** RANGE










LAMP	GU10 LED	
POWER	3.5W	
LUMINOUS FLUX	400Lm	
VOLTAGE RANGE	100-240V 50/60Hz	
COLOUR TEMP	4000K	
HALOGEN EQUIVALENT	= 50W	






**DIMENSIONS** 




**CARLO SPIKE** 





4000K

= 50W









COLOUR

**EQUIVALENT** 

TEMP HALOGEN











































































































HALOGEN EQUIVALENT



















# MARTA 90 UP/DOWN


















HALOGEN EQUIVALENT





= 35W





































DIMENSIONS








































COLOUR TEMPERATURE

INCANDESCENT

**EQUIVALENT** 





4000K

= 60W







































LAMP	GX53 LED	
POWER	7W	10W
LUMINOUS FLUX	800Lm	1200Lm
VOLTAGE RANGE	100-240V 50/60Hz	
COLOUR TEMP	4000K	
INCANDESCENT EQUIVALENT	75W	100W



DIMENSIONS


























# **GERMANA/**GIUSEPPE RANGE
















































ALDO RANGE

LED IN-GROUND

CECI 90 RANGE







**EQUIVALENT** 



CLASS II

DOUBLE

LED


ENERGY

UV RAY

PROTECTION

EUROPEAN


FULLY



ANTI-RUST

ANTI-SHOCK

MAINTENANCE




VOLTAGE RANGE

COLOUR TEMP

MAINTENANCE ANTI-RUST

HALOGEN EQUIVALENT




SAVING LED

MADE IN ITALY


**CECI 120** RANGE **LED IN-GROUND CECI 160 RANGE** 















CLASS II

DOUBLE


LED


ENERGY


UV RAY

MADE IN ITALY











































# **LED BRICKLIGHTS**


# NINA 150/190/270 RANGE






























CLASS II


DOUBLE

LED

ENERGY

OFFICIAL DISTRIBUTOR

eci Igrang



59 60

MAINTENANCE ANTI-RUST

ANTI-SHOCK

FULLY


EUROPEAN

PROTECTION


UV RAY


**LETI 100** RANGE **LED BRICKLIGHTS LETI 100** RANGE
















MADE IN ITALY




CLASS II

DOUBLE

LED

ENERGY

UV RAY



PROTECTION EUROPEAN

**DIMENSIONS** 




ANTI-SHOCK

FULLY

ANTI-RUST

MAINTENANCE





































### LED BRICKLIGHTS

### **EXTRALETI 300** RANGE





GX53 LED


6W (2x3W)

700Lm

100-240V

50/60Hz

4000K



CLASS II


DOUBLE

LED

ENERGY

UV RAY

PROTECTION EUROPEAN



ANTI-SHOCK

FULLY

ANTI-RUST


MAINTENANCE






**DIMENSIONS** 




























MADE IN ITALY





4000K

= 75W








fumagalli



COLOUR TEMP

INCANDESCENT

**EQUIVALENT** 



DIMENSIONS





VOLTAGE RANGE

COLOUR TEMP

INCANDESCENT

**EQUIVALENT** 





100-240V

50/60Hz

4000K

= 100W
















**BERTA/BERTINA** 







,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
BODY	SHOCKPROOF RESIN
DIFFUSER	OPAL
PROTECTION	IP66










BODY	SHOCKPROOF RESIN
DIFFUSER	OPAL
PROTECTION	IP66












BODY	SHOCKPROOF RESIN
DIFFUSER	OPAL
PROTECTION	IP66










































IP66

PROTECTION













PROTECTION



IP66
































**DIMENSIONS** LUCIA EYELID









BODY	SHOCKPROOF RESIN
DIFFUSER	OPAL
PROTECTION	IP66











REMI LUCIA


















BODY	SHOCKPROOF RESIN
DIFFUSER	OPAL
PROTECTION	IP66










E27 LAMP BASE








IP66





**DIMENSIONS** MADDI EYELID





PROTECTION

REMI BRACKET



BODY	SHOCKPROOF RESIN
DIFFUSER	OPAL
PROTECTION	IP66









FULLY



REMI MADDI















# **GABRI/MINIGABRI** RANGE






























































#### BEPPE 400 LED








LAMP	HIGH-POWER E27 LED
POWER	50W
LUMINOUS FLUX	5300Lm
VOLTAGE RANGE	100-240V 50/60Hz
COLOUR TEMP	4000K
HQI/SON EQUIVALENT	= 115W

#### DIMENSIONS





#### GINO 400 HP LED






A+ RATING



LAMP	HIGH-POWER E27 LED
POWER	50W
LUMINOUS FLUX	5300Lm
VOLTAGE RANGE	100-240V 50/60Hz
COLOUR TEMP	4000K

#### **DIMENSIONS**







HQI/SON EQUIVALENT



= 115W
















**FUMAGALLI POLES CLASSIC** POLES **MODERN** POLES































#### **FEATURES**



THE STANDARDISED Ø60MM CONNECTION HUB IS COMPATIBLE Ø60MM WITH ALL FUMAGALLI LANTERNS/BRACKETS FUMATECH® STEEL, EXPANSE & MATERIAL RESIN\* \*FXCEPT WHERE OTHERWISE STATED MAINTENANCE **FINISH** FREE/RUSTPROOF SUPPLIED WITH INSTALLATION A SUITABLE CAGE OR SCREWS

ACCESS DOOR INCLUDED ON EKTOR 5000MM POLE



### **EKTOR BEPPE GREY**













#### INSTALLATION





#### **FUMATECH® TECHNOLOGY**
























**LED LAMP** RANGE **TUV APPROVED LED LAMP RANGE** 






POWER	1.7W	
LUMENS	170Lm	
EFFICIENCY	100Lm/W	
CURRENT	17mA	
BEAM ANGLE	110°	
COLOUR TEMP	3000K	4000K








POWER	3W		7W		10W	
LUMENS	350Lm		800Lm		1200Lm	
EFFICIENCY	116Lm/W		114Lm/W		120Lm/W	
CURRENT	30mA		34mA		48mA	
BEAM ANGLE	120°		120°		120°	
COLOUR TEMP	3000K	4000K	3000K	4000K	3000K	4000K







POWER	15W		30W		50W	
LUMENS	1500Lm		3500Lm		5300Lm	
EFFICIENCY	100Lm/W		116Lm/W		106Lm/W	
CURRENT	130mA		135mA		210mA	
POWER FACTOR	>0.5		>0.9		>0.9	
BEAM ANGLE	200°		200°		200°	
COLOUR TEMP	3000K	4000K	3000K	4000K	3000K	4000K

















**50W DIMENSIONS** 









POWER	4W		8.5W		11W	
LUMENS	400Lm		900Lm		1200Lm	
EFFICIENCY	100Lm/W		106Lm/W		110Lm/W	
CURRENT	75mA		168mA		170mA	
BEAM ANGLE	360°		360°		360°	
COLOUR TEMP	3000K	4000K	3000K	4000K	3000K	4000K







POWER	6W		12W		
LUMENS	800Lm		1500Lm		
EFFICIENCY	133Lm/W	1	125Lm/W		
CURRENT	60mA		100mA		
POWER FACTOR	>0.7		>0.7		
BEAM ANGLE	360°		360°		
COLOUR TEMP	2700K	4000K	2700K	4000K	





















### **ABOUT ECI LIGHTING**



ECI Lighting was originally established as the Electrical Company of Ireland by the Hanratty family in 1960.

In 1968 ECI Lighting opened a state of the art three storey dedicated architectural lighting showroom in Marlborough Street in the heart of Dublin city centre and rapidly became renowned for their knowledge and expertise in the lighting industry.

By the late 1980s the company had become a major distributor of lighting products to the wholesale industry, with sole distributorship of major brands such as Sylvania, Fumagalli, Megaman, Prelux LED and Venture in Ireland.

Today ECI Lighting operates from premises in Dublin, Belfast and Cork while also supplying to a rapidly growing network of wholesale groups in the UK.

#### Dublin

34/35 North Park, North Road, Finglas, Dublin 11, Ireland. T: (01) 860 1860 E: info@ecilighting.ie

#### Cork

Unit 613, Harbour Point Business Pk, Little Island, Co. Cork. T: (021) 488 3434 E: cork@ecilighting.ie

#### **Belfast**

3 Duncrue Industrial Park, Duncrue Road, Belfast BT3 9BP. T: (028) 9075 6436 E: belfast@ecilighting.co.uk

**UK Sales** T: 0161 601 7002 | E: uksales@ecilighting.co.uk



#### MAINTENANCE FREE RESIN OUTDOOR LIGHTING



#### YOUR LOCAL FUMAGALLI SUPPLIER



DISTRIBUTED BY ECI LIGHTING

